



### SCOTCH-BRITE™ HEAVY DUTY RUST AND PAINT STRIPPER



This double thick Scotch-Brite™ web strips quick, lasts long, and cuts fast. It conforms to surface contours and attaches easily to a standard electric drill.

Part Number	Description	Packs/Case
MM 3M 03172	4" Diameter	24

### SCOTCH-BRITE™ FLAT SURFACE PAINT AND VARNISH REMOVER DISC



Attaches to a 3M™ Hook-and-Loop Backup Pad. The disc is for use on flat projects requiring fast removal of surface paint and varnish from wood, metal and plastic.

Part Number	Packs/Case
MM 3M 09411	12


### SCOTCH-BRITE™ CONTOUR SURFACE PAINT AND VARNISH REMOVER



Mounts directly to power drills by inserting the mandrel into a drill chuck. Use for removal of paint and varnish from contoured surfaces on wood, metal and plastic.

Part Number	Packs/Case
MM 3M 09413	9

### SCOTCH-BRITE™ LARGE AREA PAINT AND VARNISH REMOVER



Mounts directly to power drills by inserting the mandrel into a drill chuck. Use for removal of paint and varnish from contoured surfaces on wood, metal and plastic. Double-wide for removal of paint and varnish from large areas.

Part Number	Packs/Case
MM 3M 09414	10



### 3M™ SANDBLASTER™ BETWEEN COATS SANDING SPONGES

Sanding sponges are ideal for fine sanding between paint or varnish coats. Comprised of an electrostatically coated, self-sharpening aluminum oxide mineral for increased durability and worklife.

Part Number	Grit	Size	Sponges/Case
MM 3M 11517	Fine/180	2.625" x 3.75" x 1"	12
MM 3M 50673	Fine/320	2.625" x 3.75" x 1"	12

### 3M™ SANDBLASTER™ BARE SURFACES SANDING SPONGES

These sanding sponges allow easy surface preparation for bare wood, metal or drywall. Made of an electrostatically coated ceramic aluminum oxide mineral blend for increased durability and worklife. They sand faster and last longer than conventional sanding sponges of comparable grit.

Part Number	Grit	Size	Sponges/Case
MM 3M 50675	Med/100	2.625" x 3.75" x 1"	12
MM 3M 50677	Med/150	3.75" x 2.5" x 1"	12
MM 3M 50679	Med/80	2.625" x 3.75" x 1"	12

### 3M™ SANDBLASTER™ PAINT STRIPPING SANDING SPONGES

Used for fast removal of paint, varnish and clear coat, these sanding sponges are ideal for use on wood and metal. Comprised of an electrostatically coated silicon carbide mineral for increased durability and worklife. They sand faster and last longer than conventional sanding sponges of comparable grit.

Part Number	Grit	Size	Sponges/Case
MM 3M 11515	Coarse/36	2.625" x 3.75" x 1"	12
MM 3M 11516	Coarse/60	3.75" x 2.5" x 1"	12

### 3M™ ALL-PURPOSE SANDING SPONGES

Ideal for dry or wet sanding of wood, paint, metal, plastic and drywall. A combination of two sanding grades on one sponge. When finished, simply rinse and reuse. Handy contractor pack case.

Part Number	Grit	Size	Sponges/Case
MM 3M 85076	Fine/Medium	3.75" x 2.625" x 1"	24
MM 3M 85097	Medium/Coarse	3.75" x 2.625" x 1"	24

### 3M™ SANDBLASTER™ RIGHT ANGLE GRINDER MULTI-LAYER DISCS

Part Number	Grits	Size	Quantity/Case
MM 3M 54763	36	4.5"	10
MM 3M 54765	60	4.5"	10

### 3M™ SANDBLASTER™ CLEAN-N- STRIP DISCS

Part Number	Grits	Size	Quantity/Case
MM 3M 54767	Medium	4.5"	10



### 3M™ ALL-PURPOSE SANDING SPONGES

Ideal for dry or wet sanding of wood, paint, metal, plastic and drywall. When finished, simply rinse and reuse. Handy contractor pack case.

Part Number	Grit	Size	Sponges/Case
MM 3M 85098	Fine	3.75" x 2.625" x 1"	24
MM 3M 85099	Medium	3.75" x 2.625" x 1"	24

### 3M™ FULL SIZE SANDING SPONGES

Ideal for dry or wet sanding of wood, paint, metal, plastic and drywall. When finished, simply rinse and reuse. Conformable, comfortable, flexible and convenient.

Part Number	Grit	Size	Sponges/Case
MM 3M 00409	Fine	3.75" x 2.625" x 1"	24
MM 3M 00408	Medium	3.75" x 2.625" x 1"	24

### 3M™ SANDBLASTER™ QUICK CHANGE HUB FOR RIGHT ANGLE GRINDER

Quick loading adapter.

Part Number	Size	Quantity/Case
MM 3M 54762	4.5"	10

### 3M™ SANDBLASTER™ RIGHT ANGLE GRINDER SANDING DISCS

Assorted grits. 3-pack.

Part Number	Grits	Size	Quantity/Case
MM 3M 54764	36, 60, 120	4.5"	10

### 3M™ SANDBLASTER™ MULTI-LAYER DISCS

Part of a unique quick-loading system for the angle grinder. Must be used with quick loading adapter. Ideal for metal grinding, rust removal and aggressive coating removal from wood.

Part Number	Grit	Size	Quantity/Case
MM 3M 54766	120	4.5"	10

### 3M™ SANDBLASTER™ SURFACE CONDITIONING DISCS

Assorted grits. 3-pack.

Part Number	Grit	Size	Quantity/Case
MM 3M 54768	Assorted	4.5"	10



# GRINDING DISCS AND WHEELS

	Applications				
	Coatings Removal	Weld Removal	Deburring	Blending	Metal Finishing
<b>3M™ Grinding Discs</b>					
3M™ Green Corps™ Fibre Discs	P	P	P	P	P
3M™ Fibre Discs 501C		B	B	B	B
3M™ Type C Discs 381C		G	G	G	G
3M™ Type D Discs 280C		B	B	B	B
3M™ Regalite™ Polycut™ Grit-Lok™ Discs 785C	G				
3M™ Green Corps™ Flexible Grinding Discs		B	B	B	B
<b>3M™ Roloc™ Grinding Discs</b>					
3M™ Green Corps™ Roloc™ Discs	P	P	P	P	P
3M™ Regalite™ Polycut™ Fibre Discs 777F		P	P	P	P
<b>3M™ Cut-Off Wheels</b>					
3M™ Green Corps™ Cut-Off Wheels	P	P	P	P	P
3M™ Regalite™ General Purpose Cut-Off Wheels		P	P	P	P

	Substrates						
	Fiberglass	Mild Steel	Stainless Steel	Aluminum	Bronze	Brass	Wood
<b>3M™ Grinding Discs</b>							
3M™ Green Corps™ Fibre Discs	P	P	P	P	P	P	
3M™ Fibre Discs 501C		B	B	B	B	B	
3M™ Type C Discs 381C	G	G	G	G	G	G	G
3M™ Type D Discs 280C	G						
3M™ Regalite™ Polycut™ Grit-Lok™ Discs 785C		P	P	P	P	P	
3M™ Green Corps™ Flexible Grinding Discs		B	B	B	B	B	
<b>3M™ Roloc™ Grinding Discs</b>							
3M™ Green Corps™ Roloc™ Discs	P	P	P	P	P	P	P
3M™ Regalite™ Polycut™ Fibre Discs 777F		P	P	P	P	P	P
<b>3M™ Cut-Off Wheels</b>							
3M™ Green Corps™ Cut-Off Wheels	P	P	P	P	P	P	P
3M™ Regalite™ General Purpose Cut-Off Wheels		P	P	P	P	P	P

P = Preferred Abrasive

B = Better Abrasive

G = Good Abrasive



## 3M GRINDING DISCS

3M Grinding Discs are used for metal and coatings removal, weld and fiberglass grinding and blending, heavy-duty deburring and metal finishing. They can also be used on wood. They are used with 3M™ Disc Pad Hubs, 3M™ Disc Pad Face Plates and 3M™ Disc Retainer Nuts. BE SURE TO READ ALL WARNINGS SUPPLIED WITH DISCS.

### 3M™ GREEN CORPS™ FIBRE DISCS



3M's preferred grinding discs are all-purpose for any kind of fiberglass or metal grinding. These high performance green grinding discs are long-lasting and fast cutting for a whole new performance level in fiberglass and metal grinding. Excellent for boat propeller reconditioning.

Preferred Better Good

Part Number	Grade	Discs/Box	Boxes/Case
<b>5" x 7/8"</b>			
MM 3M 01913	50	20	5
MM 3M 01914	36	20	5
MM 3M 01915	24	20	5
<b>7" x 7/8"</b>			
MM 3M 01921	50	20	5
MM 3M 01922	36	20	5
MM 3M 01923	24	20	5
<b>9-1/8" x 7/8"</b>			
MM 3M 01927	50	20	5
MM 3M 01928	36	20	5
MM 3M 01929	24	20	5

### 3M™ TYPE C DISCS 381C



A closed coat, aluminum oxide fibre backed discs which are tough as well as flexible. For fiberglass, wood and metal sanding.

Preferred Better Good

Part Number	Product ID	Grade	Discs/Box	Boxes/Case
<b>4" x 5/8"</b>				
MM 3M 01722	381C	80	100	2
MM 3M 01725	381C	36	100	2
MM 3M 81368	381C	24	100	2
<b>5" x 7/8"</b>				
MM 3M 20052	381C	120	100	4
MM 3M 20053	381C	100	100	4
MM 3M 20054	381C	80	100	4
MM 3M 01727	381C	60	100	4
<b>7" x 7/8"</b>				
MM 3M 01738	381C	120	25	4
MM 3M 01739	381C	100	25	4
MM 3M 01740	381C	80	25	4
MM 3M 81736	381C	50	25	2
<b>9-1/8" x 7/8"</b>				
MM 3M 01760	381C	120	25	4
MM 3M 01761	381C	100	25	4



## 3M™ FIBRE DISCS 501C



Features tough, sharp alumina zirconia (AZ) mineral. Versatile enough to work on a wide variety of metals. Fast cutting, long-lasting and cool running for weld grinding and blending, metal and coatings removal, heavy duty deburring metal finishing.

Preferred

Better

Good



## 3M™ GRIT-LOK™ DISC HUBS



Provide a quick and simple disc changing of 3M™ Regalite™ Polycut™ Resin Bond Fibre Grit-Lok™ Discs. Simply insert disc into hub, rotate the disc a 1/4 turn clockwise and you're ready for grinding.

Part Number	Product ID	Grade	Discs/ Box	Boxes/ Case
<b>4-1/2" x 7/8"</b>				
MM 3M 50409	501C	24	25	100
MM 3M 50413	501C	36	25	100
MM 3M 50414	501C	50	25	100
MM 3M 50415	501C	60	25	100
MM 3M 50416	501C	80	25	100
MM 3M 50417	501C	100	25	100
MM 3M 50419	501C	120	25	100
<b>5" x 7/8"</b>				
MM 3M 50410	501C	24	25	100
MM 3M 50412	501C	36	25	100
MM 3M 50420	501C	50	25	100
MM 3M 50421	501C	60	25	100
MM 3M 50422	501C	80	25	100
MM 3M 50423	501C	100	25	100
MM 3M 50424	501C	120	25	100
<b>7" x 7/8"</b>				
MM 3M 50411	501C	24	25	100
MM 3M 50426	501C	36	25	100
MM 3M 50425	501C	50	25	100
MM 3M 50427	501C	60	25	100
MM 3M 50428	501C	80	25	100
MM 3M 50429	501C	100	25	100
MM 3M 50430	501C	120	25	100
<b>7" x 7/8"</b>				
MM 3M 50432	501C	24	25	100
MM 3M 50433	501C	36	25	100
MM 3M 50434	501C	50	25	100

Part Number	Description	Packs/ Case
MM 3M 11824	2-1/2" diameter hub 5/8" – 11 thread size fits Black & Decker #4247 or #2750, RYOBI #G1150 or G1250, Dynabrade #50378 or #50237, AEG #WS330, WS601, WS750	1



### 3M™ TYPE D DISCS 280C



Dependable open coated, heavy duty, aluminum oxide, fibre backed discs. Excellent for fiberglass grinding.

Preferred

Better

Good

Part Number	Product ID	Grade	Discs/ Box	Boxes/ Case
5" x 7/8"				
MM 3M 01818	280C	36	25	4
MM 3M 01819	280C	24	25	4
MM 3M 01820	280C	16	25	4
7" x 7/8"				
MM 3M 01833	280C	36	25	4
MM 3M 01834	280C	24	25	4
MM 3M 01835	280C	16	25	4
9-1/8" x 7/8"				
MM 3M 81867	381C	36	25	4
MM 3M 81868	381C	24	25	4

### 3M™ REGALITE™ POLY CUT™ RESIN BOND FIBRE GRIT-LOK™ DISCS 785C



Utilizes a state-of-the-art attachment system which results in fast and easy disc changing. It also incorporates 3M™ Regalite™ Polycut™ Resin Bond Fibre Grit-Lok™ Discs 785C, a premium performance disc construction, which is ideal for a variety of grinding applications including steel, brass, bronze, aluminum and fiberglass.

Preferred

Better

Good

Part Number	Product ID	Grade	Discs/ Min. Pkg.	Discs/ Case
9" x 11"				
MM 3M 13884	785C	80	25	100
MM 3M 13885	785C	60	25	100
MM 3M 13886	785C	50	25	100
MM 3M 13888	785C	36	25	100
MM 3M 13889	785C	24	25	100

**BIG QUANTITIES  
SMALL PRICES**

[info@mansuetomarine.it](mailto:info@mansuetomarine.it)



# 3M™ ROLOC™ GRINDING DISCS

3M™ Roloc™ Grinding Discs are a handy, quick-change system for disc grinding that fits any standard 1/4" drill. Utilizing a quick 1/2 turn on and off the 3M Roloc disc assembly (PNs 05539, 05540 and 05541), this system speeds up disc changing and cuts down time. 3M Roloc discs are color-coded. The grit of any disc can be determined by the color of the plastic holding button: 50 grit-Green; 36 grit-Brown; 24 grit-Black. The 3M Roloc Disc Assembly has a hard rubber backup pad that comes complete with a 2" x 1/4" shaft.

## 3M™ GREEN CORPS™ ROLOC™ DISCS 264F



Combines the versatility of the 3M™ Roloc™ Disc System with the premium quality of 3M™ Green Corps™ construction.

Preferred Better Good

Part Number	Grade	Discs/Box	Box/Case
<b>2"</b>			
MM 3M 01396	264F	50	10
MM 3M 01397	264F	36	10
MM 3M 01915	264F	24	10
<b>3"</b>			
MM 3M 01406	264F	50	10
MM 3M 01407	264F	36	10
MM 3M 01408	264F	24	10

## 3M™ REGALITE™ POLY-CUT™ ROLOC™ DISCS 777F



Combine the versatility of the 3M™ Roloc™ Disc System with the premium performance of 3M™ Regalite™ Polycut™ construction. Excellent on stainless steel, aluminum and fiber-glass.

Preferred Better Good

Part Number	Product ID	Grade	Discs/Box	Box/Case
<b>2"</b>				
MM 3M 14661	777F	80	50	4
MM 3M 80512	777F	120	50	4
<b>3"</b>				
MM 3M 14634	777F	80	50	4
MM 3M 80513	777F	120	50	4

## 3M™ ROLOC™ DISC PAD ASSEMBLIES

Part Number	For Use with Disc Size	MOS	Each/Case
MM 3M 05539	2"	25,000 RPM	10
MM 3M 05540	3"	20,000 RPM	10
MM 3M 05541	4"	12,000 RPM	10





## 3M GRINDING DISC ACCESSORIES


3M™ Disc Pad Hubs and Face Plates are lightweight, have excellent balance and are low profile for better grinding and finishing control. 3M face plates are designed to resist chunking, reduce edge wear and prolong disc life. Full size plates give support to disc's edge and tapered to fit the disc's shape to minimize flare and wild scratches. 3M™ Disc Retainer Nuts are designed to be used with all 3M disc pad hub and face plates, as well as all non-3M fibre disc holders. They come in various thread sizes and have 1/4" diameter holes for use with a spanner wrench. This attachment system can result in long term savings in materials and changeover time. 3M™ Disc Face Plates are color coded by density:

Color	Hardness	Application
Red	Extra Hard	Heavy grinding.
Black	Hard	Heavy metal removal such as large welds, etc.
Gray	Medium	Normal flexibility for general purpose grinding and finishing.
White	Soft	Flexible for finishing operation and contour grinding.

### 3M™ DISC PAD FACE PLATES



Part Number	Diameter	Hardness	MOS
MM 3M 14270	4-1/2"	Hard – Black	13,000 RPM
MM 3M 13325	4-1/2"	Medium – Gray	13,000 RPM
MM 3M 45206	5"	Hard – Black	12,000 RPM
MM 3M 45207	5"	Medium – Gray	12,000 RPM
MM 3M 45208	5"	Soft – White	12,000 RPM
MM 3M 45192	7"	Hard – Black	8,500 RPM
MM 3M 45193	7"	Medium – Gray	8,500 RPM
MM 3M 45194	7"	Soft – White	8,500 RPM
MM 3M 45195	9"	Hard – Black	6,500 RPM



### 3M™ DISC PAD HUB

Plastic hubs with 5/8" – 11 metal insert. Use with 3M™ Disc Pad Face Plates.



Part Number	Diameter	Use with	Min./Case
MM 3M 45205	2-1/2"	All size face plates	5/10
MM 3M 45190	4-1/2"	7" face plates only	5/10
MM 3M 88743	2-1/2"	All size face plates, tool shaft length 1/2" or less	5/10

### DISC HOLDER ADAPTER NO. 9

These adapters will convert a grinder with M10 – 1.25, M10 – 1.5, or 3/8" – 24 external threaded shaft to a 5/8" – 11 external threaded shaft.



Part Number	Thread Size	Quantity/Case
MM 3M 22971	M10 – 1.25 INT	10
MM 3M 22972	M10 – 1.55 INT	10
MM 3M 22970	3-3/4" – 24 INT	10



### 3M™ DISC PAD FACE PLATES — RIBBED



Part Number	Diameter	Hardness	MOS
MM 3M 81732	5"	Extra Hard – Red	12,000 RPM
MM 3M 81733	5"	Hard – Black	12,000 RPM
MM 3M 81734	5"	Medium – Gray	12,000 RPM
MM 3M 81735	5"	Soft – White	12,000 RPM
MM 3M 80514	7"	Extra Hard – Red	8,500 RPM
MM 3M 80515	7"	Hard – Black	8,500 RPM
MM 3M 80516	7"	Medium – Gray	8,500 RPM
MM 3M 80517	7"	Soft – White	8,500 RPM
MM 3M 81728	9"	Extra Hard – Red	6,500 RPM
MM 3M 81729	9"	Hard – Black	6,500 RPM

### 3M™ DISC RETAINER NUTS



For use with all 3M™ Disc Pad Face Plates, disc pads, and 3M™ Disc Pad Hubs. Nuts have 5/8" – 11 threaded arbor hole in three depths to accommodate grinder shaft lengths.

Part Number	Depth	Quantity/Case
MM 3M 05622	3/2"	5/10
MM 3M 05621	1/2"	5/10
MM 3M 05620	5/2"	5/10
MM 3M 51047	5-1/16"	5/10

## 3M™ CUT-OFF AND WELD GRINDING WHEELS

These wheels are designed for use in cutting metal, aluminum, stainless steel tubing, propeller shafts, clamps and rusted bolts. They are used with utility type cut-off tools. Maximum Safe Operating Speed (MOS) is 25,000 RPMs. READ ALL WARNINGS SUPPLIED WITH WHEELS, AND DO NOT USE ON TOOLS WITHOUT GUARDS.

### 3M™ GREEN CORPS™ CUT-OFF WHEELS

High performance and long lasting. Ideal for cutting spot welds and grinding in hard to reach places.



Part Number	Size	MOS	Wheels/ Pack	Packs/ Case
MM 3M 01989	3" x 1/32" x 3/8"	35,000 RPM	5	10
MM 3M 01990	3" x 1/16" x 3/8"	28,000 RPM	5	10
MM 3M 01991	3" x 1/16" x 3/8"	25,000 RPM	5	10
<b>Bulk</b>				
MM 3M 82238	3" x 1/32" x 1/4"	35,000 RPM	Bulk	50
MM 3M 01994	4" x 1/32" x 3/8"	25,000 RPM	Bulk	50

### 3M™ GENERAL PURPOSE CUT-OFF WHEELS

A general purpose, more economical cut-off wheel.



Part Number	Size	MOS	Wheels/ Pack
MM 3M 01987	3" x 1/32" x 3/8"	25,000 RPM	50
MM 3M 01988	3" x 1/16" x 3/8"	25,000 RPM	50



## 3M DEPRESSED CENTER GRINDING WHEELS

### 3M™ GREEN CORPS™ FLEXIBLE GRINDING DISCS



These 1/8" thick grinding wheel patented Cubitron for fast cut, durability and a consistent finish on all metals. Thinner design gives wheels more flexibility. Smooth operation with minimal vibration. For weld removal and heavy deburring on steel, iron, stainless steel and aluminum. Discs are 1/8" thick with 7/8" shaft. READ ALL WARNINGS SUPPLIES WITH WHEELS AND DO NOT USE ON TOOLS WITHOUT GUARDS.

Part Number	Grit	MOS	Each/Box	Boxes/Case
<b>4-1/2"</b>				
MM 3M 50444	80	13,000 RPM	20	10
MM 3M 50443	60	13,000 RPM	20	10
MM 3M 50442	46	13,000 RPM	20	10
MM 3M 50440	36	13,000 RPM	20	10
<b>7"</b>				
MM 3M 50448	80	8,500 RPM	20	5
MM 3M 50447	60	8,500 RPM	20	5
MM 3M 50446	46	8,500 RPM	20	5
MM 3M 50445	36	8,500 RPM	20	5

### ADAPTER NUTS

Part Number	Description	Each/Case
MM 3M 88765	5/8" – 11 Thread	5


### 3M DISC HOLDER T-27 KIT

Part Number	Description	Each/Box	Box/Case
MM 3M 88769	Kit (includes plate, nut, spacers, and wrench)	1	1

### PLASTIC BACK-UP PLATES

Part Number	For Use with Disc Size	Each/Inner	Each/Case
MM 3M 51045	7"	5	100
MM 3M 51046	4-1/2"	5	100

## 3M DEPRESSED CENTER GRINDING WHEELS





# SCOTCH-BRITE™ APPLICATIONS CHART

	Applications						
	Bottom Paint Removal	Bottom Paint Scuffing	Varnish Stripping	Rust Removal	Heavy Clean-up	Aluminum Stainless Steel Blending Finishing	Wood Highlighting
<b>Scotch-Brite™ Hand Pads and Sponges</b>							
Heavy Duty – Tan	•	•	•	•	•		
Light Duty – White				•			
Blending – Gray						•	•
General Purpose – Maroon							
Ultra Fine – Gray							
Scrubbing Sponge – No. 74					•		
Flexible Scrubber – No. 85						•	
General Purpose Scouring Pad – No. 96				•	•	•	
General Purpose Scrubbing Pad – No. 9650				•	•	•	
Power Pad – No. 2000						•	
Power Pad Sponge – No. 3000				•	•	•	
Soft Scour™ Sponge – No. 9489							
Multi-Flex Abrasive Sheet Rolls						•	•
<b>Scotch-Brite™ Surface Conditioning Discs</b>							
Coarse – Brown	•	•	•	•	•	•	
Medium – Maroon				•		•	
Very Fine – Blue							
Super Fine – Gray							
General Purpose Scuffing Discs							
Ultra Fine Scuffing Discs							
Scotch-Brite™ RS Coarse	•	•	•	•	•	•	
Scotch-Brite™ RS Medium				•		•	
Scotch-Brite™ Roloc™ Coarse	•	•	•	•	•	•	
Scotch-Brite™ Roloc™ Medium				•			
Scotch-Brite™ Roloc™ Very Fine							
Scotch-Brite™ Roloc™ Super Fine							
<b>3M™ Roloc™ Bristle Products</b>							
Bristle Discs							
Radial Bristle Brushes							
Radial Bristle Discs							

**NON STOP  
ADVANTAGES**

**OUR SERVICE IS GUARANTEED  
ALSO IN AUGUST AND  
IN CHRISTMAS TIME**



## SCOTCH-BRITE™ APPLICATIONS CHART

	Applications						
	Light Paint Removal	Scuffing Primer/ Paint Prep	Metal Cleaning	Deburring	Finishing	General Purpose Multi-Surface Cleaning	Light Multi-Surface Cleaning
<b>Scotch-Brite™ Hand Pads and Sponges</b>							
Heavy Duty – Tan							
Light Duty – White						•	•
Blending – Gray	•						
General Purpose – Maroon		•	•	•			
Ultra Fine – Gray					•		•
Scrubbing Sponge – No. 74						•	•
Flexible Scrubber – No. 85						•	•
General Purpose Scouring Pad – No. 96	•					•	•
General Purpose Scrubbing Pad – No. 9650	•					•	•
Power Pad – No. 2000							
Power Pad Sponge – No. 3000	•		•			•	
Soft Scour™ Sponge – No. 9489						•	•
Multi-Flex Abrasive Sheet Rolls	•	•					
<b>Scotch-Brite™ Surface Conditioning Discs</b>							
Coarse – Brown			•				
Medium – Maroon		•					
Very Fine – Blue					•		•
Super Fine – Gray					•		•
General Purpose Scuffing Discs		•					
Ultra Fine Scuffing Discs							
Scotch-Brite™ RS Coarse			•				
Scotch-Brite™ RS Medium		•					
Scotch-Brite™ Roloc™ Coarse			•				
Scotch-Brite™ Roloc™ Medium							
Scotch-Brite™ Roloc™ Very Fine							
Scotch-Brite™ Roloc™ Super Fine							
<b>3M™ Roloc™ Bristle Products</b>							
Bristle Discs			•	•	•	•	•
Radial Bristle Brushes			•	•	•	•	•
Radial Bristle Discs			•	•	•	•	•

**BIG QUANTITIES  
SMALL PRICES**

[info@mansuetomarine.it](mailto:info@mansuetomarine.it)



# SCOTCH-BRITE™ HAND PADS

Scotch-Brite™ Hand Pads are non-woven, three-dimensional pads that can be used in a variety of blending, finishing and cleaning applications. The convenient size and conformability makes hard to reach and contoured surfaces easily accessible. Their open web construction allows the pads to be easily cleaned, and they can be rinsed for reuse over and over. These pads deliver a uniform, consistent finish because they resist loading and build-up that affects standard coated abrasives. They come in various colors and degrees of coarseness. They can be used to replace steel wool and wire screens, and the finer pads won't scratch most surfaces.



Part Number	Description	Color	Pads/Box	Boxes/Case
<b>6" x 9"</b>				
MM 3M 7440	Heavy Duty	Tan	10	4
MM 3M 07445	Light Duty	White	20	3
MM 3M 7446	Blending	Gray	10	4
MM 3M 07447	General Purpose	Maroon	20	2
MM 3M 07448	Ultra Fine	Gray	20	2

## SCOTCH-BRITE™ GENERAL PURPOSE AND ULTRA FINE SCUFF SPONGES

Three-dimensional non-woven material laminated to a cellulose sponge material. These sponges are ideal for scuffing/cleaning a variety of marine surfaces. Sponges may be used wet or dry. Hand-held size offers convenience, comfort and reduces waste. Produces the same finish as the PN07447 (Maroon) and PN07448 (Gray) Scotch-Brite™ Hand Pads.



Part Number	Description	Color	Sponges/Bag	Sponges/Case
<b>6" x 9"</b>				
MM 3M 07441	General Purpose	Maroon	10	30
MM 3M 07442	Ultra Fine	Gray	10	30
MM 3M 07439	Clean and Prep	White	10	30

## SCOTCH-BRITE™ CLEANSING SPONGE — NO. 63


This convenient two-sided light cleansing tool is ideal for use on stainless steel, plexiglass and plastic surfaces. It won't scratch most surfaces. Scotch-Brite™ side for cleansing action backed by an absorbent cellulose sponge on the other side for wiping spills.



Part Number	Size	Sponges/Case
MM 3M 08251	5-5/8" x 3-1/2"	20

## SCOTCH-BRITE™ SCRUBBING SPONGE — NO. 74

Here's a dual-action cleaning tool for dirty surfaces. It's a scouring pad on one side – scrubs and cleans walls, tables and countertops. The cellulose sponge on the other side quickly wipes up spills and messes. Handy and versatile.



Part Number	Size	Sponges/Case
MM 3M 20688	6-1/4" x 3-1/2"	20

## SCOTCH-BRITE™ GENERAL PURPOSE SCOURING PAD — NO. 96

It's the original nylon scouring pad and a performance pacesetter. It replaces steel wool and metal sponges, and won't leave metal slivers in hands. Long lasting, non-rusting and resilient.



Part Number	Size	Pads/Box	Boxes/Case
MM 3M 08293	6" x 9"	20	3



### SCOTCH-BRITE™ GENERAL PURPOSE SCRUBBING PAD — NO. 9650

Thicker, hand-size version of Scotch-Brite™ General Purpose Scour Pad No. 96. The convenient size eliminates the need to cut or fold the pad.



Part Number	Size	Pads/Case
MM 3M 15027	3.5" x 5"	60

### SCOTCH-BRITE™ POWER PAD — NO. 2000

Scours up to 4 times faster than conventional products. Scratches surfaces up to 8 times less than other medium/heavy-duty products. Unique bow-tie shape.



Part Number	Size	Pads/Case
MM 3M 23162	5.5" x 3.9"	20

### SCOTCH-BRITE™ POWER PAD SPONGE — NO. 3000



Two cleaning tools in one. Scotch-Brite™ Power Pad combined with a sponge. Scratches surfaces up to 8 times less than other medium duty/heavy duty products.

Part Number	Size	Sponges/Case
MM 3M 23163	2.8" x 4.5" x 0.6"	20

### SCOTCH-BRITE™ MULTI-FLEX ABRASIVE SHEET ROLLS

Use PN07521 for scuffing before applying paint and paint primers. Also may be used in cleaning upholstery and chrome. A thin, ultra-conformable extra sharp and economical Scotch-Brite™ Sheet. Use for quick scuffing irregular surfaces. Non-leveling, reusable, use wet or dry. Use PN07522 on the following applications: blending/ finishing of aluminum, wood highlighting and light paint removal. Designed to replace steel wool and wire screens. Extra sharp for fast surface preparation. Non-leveling, reusable, use wet or dry.



### 3M™ SOFT SCOUR!™ SPONGE — NO. 9489



This sponge combines no-scratching scrubbing and moisture pick-up all in one. One side scours and the other side wipes up spills or carries cleaning solution to the work surface.

Part Number	Size	Pads/Bag	Bags/Case
MM 3M 09489	3-1/2" x 5"	10	4

Part Number	Grade	Color	Sheets/ Roll	Rolls/ Case
<b>4-1/2"</b>				
MM 3M 07521	A VFN General Purpose	Maroon/ Purple	60	4
MM 3M 07522	S-UFN	Light Gray	60	4





# SCOTCH-BRITE™ SURFACE CONDITIONING DISCS

Scotch-Brite™ Surface Conditioning Discs are non-woven, three-dimensional discs that can be used in a variety of blending, finishing and cleaning applications. Their open web construction allows the discs to be easily cleaned for reuse over and over. These discs deliver a uniform, consistent finish because they resist loading and build-up that affects standard coated abrasives. They come in various colors and degrees of coarseness. These discs are designed to be used with Scotch-Brite disc holders, which securely attaches the disc to the through use of the 3M™ Scotchmate™ Dual Lock™ Fastening System. Discs are color coded and come in a variety of coarseness. See chart below. The larger and coarser discs have applications for coating removal and surface preparation of boat hulls. The smaller discs are used in cleaning and surface conditioning of boat propellers, as well as in gasket removal.

Grade	Color	Hardness
Coarse	Brown	80 – 100
Medium	Maroon	100 – 120
Very Fine	Blue	220 – 320
Super Fine	Gray	320 – 600

Part Number	Grade	Discs/Box	Boxes/Case
<b>8"</b>			
MM 3M 00752	Coarse		20
MM 3M 00670	Medium		25
MM 3M 04306	Very Fine		20
<b>7"</b>			
MM 3M 00751	Coarse		25
MM 3M 00645	Medium		25
MM 3M 04305	Very Fine		20
<b>4"</b>			
MM 3M 07450	Coarse	25	100
MM 3M 07451	Medium	25	100
MM 3M 07504	Very Fine	10	25
MM 3M 07505	Super Fine	10	25
<b>3"</b>			
MM 3M 07455	Coarse	25	100
MM 3M 07456	Medium	25	100
MM 3M 07506	Very Fine	25	4
MM 3M 07507	Super Fine	25	4
<b>2"</b>			
MM 3M 07453	Coarse	25	100
MM 3M 07457	Medium	25	100
MM 3M 07508	Very Fine	25	4
MM 3M 07509	Super Fine	25	4

## SCOTCH-BRITE™ SURFACE CONDITIONING DISC PAD



This hook-and-loop disc pad connects quickly to any power tool while holding Scotch-Brite™ Surface Conditioning Discs securely and safely through the use of 3M™ Scotchmate™ Dual Lock™ Fastening System.

Part Number	Size	MOS	Pads/Case
MM 3M 09451	For 8" Discs	6,000 RPM	1
MM 3M 09450	For 7" Discs	6,000 RPM	1
MM 3M 07492	For 4" Discs	13,000 RPM	5
MM 3M 07493	For 3" Discs	15,000 RPM	10
MM 3M 07494	For 2" Discs	23,000 RPM	10





### 3M™ CONTACT DISC PAD HOLDER — NO. 947

This disc pad holder may be used with 3M™ Surface Conditioning Discs 7" and 8" (PNs 00645, 00670, 00751, and 00752) for use in various scuffing applications. 3M™ Contact Disc Pad Holder No. 947 features a flexible edge which enables the pad to better conform to contours of boat hulls. This disc pad holder fits 5/8" shaft tools.

Part Number	Size	MOS	Pads/ Case
MM 3M 13627	For 7" Discs	6,000 RPM	1

### SCOTCH-BRITE™ GENERAL PURPOSE AND ULTRA-FINE SCUFFING DISCS

Scotch-Brite™ General Purpose Scuffing Disc (Maroon) and Scotch-Brite ultra-fine scuffing disc (Gray) are designed to be used in conjunction with a 3M™ Hookit™ Disc Pad for 6" discs (PN05776) on a random orbital sander. These discs offer a quicker, more efficient method of machine scuffing marine finishes versus doing it by hand.



Part Number	Grade	Color	Discs/ Box	Boxes/ Case
6"				
MM 3M 07467	General Purpose	Maroon	10	4
MM 3M 07468	Ultra Fine	Gray	10	4

### 3M™ HOOKIT™ DISC PAD



This pad is specifically made to use with the 3M™ Hookit™ discs. The pad face securely holds the discs yet allows for easy change and reattachment of discs. The pad is lightweight, shock resistant and well-balanced. The tough durable plastic hub and a conformable foam body are designed for a maximum operating speed of 7000 RPM.

Part Number	Size	MOS	Pads/ Case
MM 3M 05776	6"	12,000 RPM	10

TECHNICAL  
ASSISTANCE  
ON-LINE

+39 339 6709546



The unique open web construction of these discs delivers a uniform, consistent finish because it resists the loading and heat buildup that normally affect disc performance; they also work fast and reduce labor and material cost. These discs are designed to be used with the Scotch-Brite™ Disc Holder (PNs 07492-07494 and 09450-09451) and attach safely and securely through the use of the 3M™ Scotchmate™ Dual Lock™ Fastening System. The larger and coarser discs have applications for coating removal and surface preparation of boat hulls. The smaller discs are used in cleaning and surface upgrading of boat propellers, as well as gasket removal. The Coarse grade (brown) equates with a coated abrasive grit of 80 to 100, Medium (maroon) 100 to 120 grit, Very Fine (blue) 220-320, Super Fine (gray) 320-600.

### SCOTCH-BRITE™ ROLOC™ RS SURFACE CONDITIONING DISCS

Part Number	Grade	MOS	Discs/Case
<b>2"</b>			
MM 3M 29211	Coarse	25,000	200
MM 3M 29212	Medium	25,000	200
<b>3"</b>			
MM 3M 29213	Coarse	18,000	100
MM 3M 29214	Medium	18,000	100

### SCOTCH-BRITE™ ROLOC™ SURFACE CONDITIONING DISCS



Part Number	Grade	Discs/Box	Boxes/Case
<b>2"</b>			
MM 3M 07480	Coarse	25	4
MM 3M 07481	Medium	25	4
MM 3M 07515	Very Fine	25	4
MM 3M 07516	Super Fine	25	4
<b>3"</b>			
MM 3M 07485	Coarse	25	4
MM 3M 07486	Medium	25	4
MM 3M 07513	Very Fine	25	4
MM 3M 07514	Super Fine	25	4
<b>4"</b>			
MM 3M 07482	Coarse	10	10
MM 3M 07483	Medium	10	10
MM 3M 07511	Very Fine	10	10
MM 3M 07512	Super Fine	10	10

### SCOTCH-BRITE™ HOOK-AND-LOOP RS SURFACE CONDITIONING DISCS

Part Number	Grade	MOS	Per/Case
<b>4-1/2"</b>			
MM 3M 29217	Coarse	13,000	50
MM 3M 29218	Medium	13,000	50
<b>5"</b>			
MM 3M 29219	Coarse	10,000	50
MM 3M 29220	Medium	10,000	50
<b>7"</b>			
MM 3M 29221	Coarse	6,000	25
MM 3M 29222	Medium	6,000	25

### SCOTCH-BRITE™ HOOK-AND-LOOP BACK-UP PADS



Part Number	Thread Size	MOS	Pads/Case
<b>4-1/2"</b>			
MM 3M 14111	5/8" – 11 Female Hub Shank	13,000	1
<b>5"</b>			
MM 3M 05680	5/8" – 11 Female Hub Shank	10,000	1
<b>7"</b>			
MM 3M 09450	5/8" – 11 Female Hub Shank	6,000	1



### SCOTCH-BRITE™ ROLOC™ TS MANDREL

Part Number	Grade
<b>1/4" x 2"</b>	
MM 3M 85097	5

### SCOTCH-BRITE™ ROLOC™ TR BACK-UP PADS

Part Number	Grade	MOS	Pads/ Case
<b>2"</b>			
MM 3M 45095	Medium	25,000	5
MM 3M 45096	Hard	25,000	5
<b>2"</b>			
MM 3M 45091	Hard	20,000	5

## SCOTCH-BRITE™ CLEANING AND STRIPPING PRODUCTS


### SCOTCH-BRITE™ CLEAN 'N STRIP™ XT DISCS

This product earns the 3M Purple color which indicates the latest 3M technology, greatest cost/value and highest quality available. Scotch-Brite™ Clean 'n Strip™ XT Discs have an open web construction for cool running with excellent resistance to loading and smearing. Faster cutting than wire brushes and wheels with no rust or surface contamination from metal residue. These discs are the perfect alternative to wire brushes for removing weld discoloration, scale, rust, paint, coatings, gasket and sealing compounds, adhesives and marine algae.

Part Number	Size	MOS	Discs/ Case
MM 3M 27657	4" x 1/4"	6,000 RPM	25
MM 3M 27658	8" x 1/2"	3,000 RPM	15
MM 3M 27659	4" x 1/2"	6,000 RPM	25
MM 3M 27690	6" x 1/2"	4,000 RPM	15

Part Number	Size	Discs/Case
MM 3M 07466	4" x 1/2"	10

### SCOTCH-BRITE™ GENERAL PURPOSE AND ULTRA FINE SCUFFING WHEELS ROLOC™+



These are constructed of a durable 3D non-woven material. Both products are flexible and ideal for machine scuffing/ cleaning of hard to reach areas. The 3M™ Roloc™+ Holder (PN07500) allows for easy changeover of discs.

Part Number	Size	Wheels/ Box	Boxes/ Case
MM 3M 07443	4" x 1-1/8" General Purpose	6,000	25

### SCOTCH-BRITE™ CLEAN 'N STRIP™ ROLOC™+ DISCS



Constructed of a 3-D, durable web. These discs are the perfect alternative to wire brushes for removing paint, rust, cleaning welds, drip rail moldings and light grinding/ sanding in hard-to-reach areas. The 3M™ Roloc™+ Holder (PN07500) allows for easy changeover of discs.



### SCOTCH-BRITE™ ROLOC™+ RIVET CLEANING DISC



Constructed of a three dimensional, non-woven material designed to sand and clean around rivets. These discs are aggressive, yet highly conformable. Discs are used in conjunction with 3M™ Roloc™+ Holder (PN07500).

### SCOTCH-BRITE™ ROLOC™+ HOLDER



A durable plastic holder for use with all 3M™ Roloc™+ products including 1/4" steel shank allows easy use to portable tools.

Part Number	Size	Discs/Case
MM 3M 07410	4" x 1-1/4"	10

Part Number	Size	Billing Units/Case
MM 3M 07500	1" x 1/4" Shank	1

## STRIPE REMOVAL DISCS

### SCOTCH-BRITE™ LARGE AREA STRIPE REMOVAL (LASR) DISC ASSEMBLY

This is a 8" diameter, 16 layer version of the existing 3M™ Molding Adhesive and Stripe Removal Disc (PNs 07501, 07502). The LASR disc assembly quickly removes vinyl stripes and graphics and their adhesive without damaging gelcoat or marine paint. This assembly is designed to be used with a variable speed buffer with a 1,500–3,000 RPM speed range. Attaching a Scotch-Brite™ LASR Adapter (PN07519) is all that is necessary to convert your 5/8" – 11 shaft to accommodate the LASR Disc Assembly. An approved tool is the Black and Decker Buffmaster #6138



### SCOTCH-BRITE™ MOLDING ADHESIVE AND STRIPE REMOVAL DISC ROLOC™+

A vinyl, non-abrasive material designed to remove vinyl stripes, numbers, letters and graphics from gelcoat and painted marine surfaces without damaging the finish. Required 4000 RPM tool.



Part Number	Size	Billing Units/Case
MM 3M 07501	4" x 3/8"	5
MM 3M 07502	6" x 3/8"	5

Part Number	Size	Each/Case
MM 3M 07517	8" Dia. x 5/8"	1



### 3M™ STRIPE OFF WHEEL

Use to remove vinyl decals, striping tapes, and double-sided foam attachment tapes. It will not scratch or damage acrylic enamel or urethane paint. Do not use on lacquer coatings. Use with common 3/8" pneumatic and electric tools with a 500 – 4000 RPM speed range. Optimum performance achieved around 200+/-200 RPM.



Part Number	Description	Quantity/Case
MM 3M 07498	Includes attachment hardware	5
MM 3M 07499	Does not include hardware	5

## 3M™ BRISTLE DISCS AND BRUSHES

### 3M™ ROLOC™ BRISTLE DISCS

A molded abrasive bristle product designed to conform to the workpiece in numerous surface conditioning applications. Much safer to use than conventional wire brushes the discs use the quick "1/2 turn on, 1/2 turn off" 3M™ Roloc™ fastening system for maximum convenience. In addition, the 3M Roloc bristle disc works well in applications where loading is a problem, replacing wire brushes, surface conditioning discs, and coated abrasive discs. The bristle design and 3-dimensional abrasive enable the bristle disc to remove coatings, sealant, and adhesives quickly, leaving a clean surface ready for subsequent operations. The high Maximum Operating Speed (MOS) of the bristle disc makes it compatible with right angle die grinders. Use in conjunction with the 3M Roloc disc pad assembly.



Part Number	Grade	Color	MOS	Discs/Box	Boxes/Case
<b>1"</b>					
MM 3M 18698	50	Green	30,000 RPM	20	80
MM 3M 18706	80	Yellow	30,000 RPM	20	80
MM 3M 18710	120	White	30,000 RPM	20	80
<b>2"</b>					
MM 3M 18730	50	Green	25,000 RPM	10	40
MM 3M 18732	80	Yellow	25,000 RPM	10	40
MM 3M 18733	120	White	25,000 RPM	10	40
<b>3"</b>					
MM 3M 18734	50	Green	18,000 RPM	10	40
MM 3M 18736	80	Yellow	18,000 RPM	10	40
MM 3M 18737	120	White	18,000 RPM	10	40

Part Number	Size	Hardness	Each/Case
MM 3M 45102	1/4"	Threaded Shaft	50
MM 3M 45101	1"	Medium	5
MM 3M 05539	2"	Coarse	10
MM 3M 05540	3"	Medium	10

### 3M™ ROLOC™ DISC PAD ASSEMBLY

This disc pad assembly comes complete with a 2" steel shaft and adapter. The hard rubber backup pad provides firm support for Scotch-Brite™ Roloc™ Surface Conditioning Discs (PNs 07480-07514) and 3M™ Roloc™ Bristle Discs (PNs 18698-18737).





## 3M™ RADIAL BRISTLE BRUSHES

3M™ Radial Bristle Brushes bring superior cleaning to a wide variety of surface areas. The 6" radial bristle brush works on most bench motors in place of wire brushes for general maintenance and production. Tough, flexible products provide a faster cut and more uniform finish.



Part Number	Size	Grade	Color	Brushes/ Box	Brushes/ Case
MM 3M 27603	6"	36	Dk. Brown	1	5
MM 3M 27605	6"	50	Green	1	5
MM 3M 27606	6"	80	Yellow	1	5

## 3M™ RADIAL BRISTLE DISCS

1" and 9/16" are meant for very small jobs. The 9/16" is specifically for polishing in small, tight places where a mirror-like finish is desired. They are very flexible for deburring, cleaning, and/or finishing intricate or tiny areas. The 1" disc is for small areas with heavy duty requirements. Can be used to clean machine marks on soft and hard metals for precision parts or hard-to-reach areas. Satin finish for watch cases and other small metal products. With these discs, you can automate many previous manual operations, and replace chemicals. Use with Mandrels listed below.



Part Number	Grade	Color	Discs/ Box	Boxes/ Case
<b>1"</b>				
MM 3M 27610	36	Dk. Brown	24	96
MM 3M 27611	50	Green	24	96
MM 3M 27612	80	Yellow	24	96
MM 3M 27613	120	White	24	96
<b>9/16"</b>				
MM 3M 27614	120	White	48	192
MM 3M 27615	P220	Red	48	192
MM 3M 27616	P400	Blue	48	192
MM 3M 27617	Pumice	Pink	48	192
MM 3M 27618	Polish I	Lt. Green	48	192
MM 3M 27619	Polish II	Peach	48	192

## 3M™ ROLOC™ BRISTLE DISC INTRODUCTORY PACKS

Convenient introductory packs of 2" and 3" as well as assortments of 2" and 3" products including 777F 3M™ Roloc™ Discs, Surface Conditioning and SE Surface Conditioning Discs, Unitized Wheels, Bristle Discs and Disc Pad Holder.



Part Number	Intro Pack No.	Packs/ Case
MM 3M 18696	982BS	5
	<b>Contains:</b> 2 each 3M™ Roloc™ Bristle Disc, 2" x 5/8" T 50X, 80X, 120X 1 each 3M™ Roloc™ Disc Pad Holder, 2" Hard	
MM 3M 18697	983BS	5
	<b>Contains:</b> 2 each 3M™ Roloc™ Bristle Disc, 3" x 5/8" T 50X, 80X, 120X 1 each 3M™ Roloc™ Disc Pad Holder, 3" Hard	
MM 3M 18694	982RS	5
	<b>Contains:</b> 3 each 3M 777F 3M™ Roloc™ Disc, 2" – 60YF, 80YF, 120YF 2 each 3M™ Roloc™ Surface Conditioning Disc, 2" – ACRS, AMED, AVFN, SSFN 2 each 3M™ Roloc™ SE Surface Conditioning Disc, 2" – ACRS 1 each 3M™ Roloc™ EXL Unitized Wheels, 2" – 2SFN, 6AMED, 8ACRS 2 each 3M™ Roloc™ Bristle Disc, 2" x 5/8" T – 50X, 80X, 120X 1 each 3M™ Roloc™ Disc Pad Holder, 2" Hard	
MM 3M 18695	983RS	5
	<b>Contains:</b> 3 each 3M 777F 3M™ Roloc™ Disc, 3" – 60YF, 80YF, 120YF 2 each 3M™ Roloc™ Surface Conditioning Disc, 3" – ACRS, AMED, AVFN, SSFN 2 each 3M™ Roloc™ SE Surface Conditioning Disc, 3" – ACRS 1 each 3M™ Roloc™ EXL Unitized Wheels, 3" – 2SFN, 6AMED, 8ACRS 2 each 3M™ Roloc™ Bristle Disc, 3" x 5/8" T – 50X, 80X, 120X 1 each 3M™ Roloc™ Disc Pad Holder, 3" Hard	

## MANDRELS

Part Number	Size	MOS	Brushes/ Case
MM 3M 27681	1/8" x 1/8"	30,000 RPM	100
MM 3M 27684	1/4" x 1/8"	30,000 RPM	100



## 3M FILLERS AND PUTTIES

Professional Repair						
	Bottom Repair Larger Areas	Bottom Repair Semi-Structural	Bottom Repair Minor Defects	Bottom Repair Bonding	Bottom Repair Filling	Bottom Repair Fairing
<b>3M Fillers</b>						
3M™ Marine High Strength Repair Filler	P	P		P	P	
3M™ Marine Premium Filler			P		P	P
3M™ Zebra™ Advance Lightweight Filler						
3M™ Lightweight Body Filler						
3M™ Long Strand Fiberglass Reinforced Filler						B
3M™ Short Strand Fiberglass Reinforced Filler						
	Topside Repair Larger Areas	Topside Repair Semi-Structural	Topside Repair Minor Defects	Topside Repair Bonding	Topside Repair Filling	Topside Repair Fairing
<b>3M Fillers</b>						
3M™ Marine High Strength Repair Filler	P	P		P	P	
3M™ Marine Premium Filler			P		P	P
3M™ Zebra™ Advance Lightweight Filler			P		P	P
3M™ Lightweight Body Filler			G		G	G
3M™ Long Strand Fiberglass Reinforced Filler	B	B			B	
3M™ Short Strand Fiberglass Reinforced Filler			B		B	B
	Fill Pinholes	Fill Sand Scratches	Fill Minor Scratches	Fill Low Areas	Misc. Imperfections	Grinding Imperfections
<b>3M Putties</b>						
3M™ Piranah™ Advanced Finishing Putty	P	P	P	P	P	
3M™ Acrylic – Green Spot Putty			B		B	
3M™ Acrylic – Blue Glazing Putty		B		B		
3M™ Acrylic – Red Putty	B	B	B			
3M™ Acrylic – Marine Putty – White	B	B			B	B

P = Preferred Abrasive    B = Better Abrasive    G = Good Abrasive



**24h DELIVERY  
TO THE MEDITERRANEAN**

**info@mansuetomarine.it**





## 3M VINYL ESTER FIBERGLASS REPAIR FILLERS

### 3M™ MARINE HIGH STRENGTH REPAIR FILLER

A unique vinyl ester formulation designed with short strand fiberglass for semistructural repairs, above and below the waterline. This high performance reinforced filler is designed to repair areas of fiberglass hulls, decks, and other parts. Cures tack-free in 30 minutes. Use with 3M™ Blue Crème Hardener (PN05766).



Preferred Better Good

Part Number	Container Size	Containers/ Case
MM 3M 46012	1 Pint	6
MM 3M 46013	1 Quart	6
MM 3M 46014	1 Gallon	4

### 3M™ MARINE PREMIUM FILLER

A unique vinyl ester formulation designed for marine filling and fairing applications above and below the waterline. Cures tack-free in 30 minutes. Made with 3M™ Scotchlite™ Glass Bubbles for sanding ease. Use with 3M™ Blue Crème Hardener (PN05766).



Preferred Better Good

Part Number	Container Size	Containers/ Case
MM 3M 46004	1 Pint	6
MM 3M 46005	1 Quart	6
MM 3M 46006	1 Gallon	4

## 3M POLYESTER FIBERGLASS REPAIR FILLERS

### 3M™ ZEBRA™ ADVANCED LIGHTWEIGHT FILLER

An advanced formulation, two-component filler designed to fill low areas on hulls, decks above the waterline, as well as other fiberglass, steel, SMC or aluminum parts. Sands better than traditional lightweight fillers with reduced sandpaper loading. Stain-resistant. Vacuum processed for fewer pinholes. Cures tack free in approximately 20 minutes. Use with 3M™ Blue Crème Hardener (PN05766).



Preferred Better Good

Part Number	Container Size	Containers/ Case
MM 3M 05868	1 Gallon	4
MM 3M 05870	3 Gallon Pail*	1
MM 3M 05871	5 Gallon Pail**	1

\* To be used with Mechanical Dispensers

\*\* To be used with Air-Operated Dispensers.





### 3M™ LIGHTWEIGHT BODY FILLER

This vacuum processed lightweight body filler is designed to be used for filling and shaping prototypes and plugs in the OEM Plug/Mold Department. This filler cures tack-free in 15 – 20 minutes, reducing sandpaper loading. Features creamy texture, smooth spreading and easy sanding with reduced sandpaper loading. Use with red 3M™ Crème Hardener (PN05830).



Preferred

Better

Good

--	--	--

Part Number	Container Size	Containers/ Case
MM 3M 05800	1 Quart	6
MM 3M 05801	1 Gallon	4
MM 3M 05804	5 Gallon Pail**	1
MM 3M 05805	5 Gallon Pail*	1

\* To be used with Mechanical Dispensers

\*\* To be used with Air-Operated Dispensers.

### 3M™ LONG STRAND FIBERGLASS REINFORCED FILLER

This polyester filler contains long strands of fiberglass and is designed to repair larger holes, cracks and tears in fiberglass above the waterline. Also repairs holes in metal. Waterproof. Use with red 3M™ Crème Hardener (PN05830).



Preferred

Better

Good

--	--	--

Part Number	Container Size	Containers/ Case
MM 3M 05814	1 Gallon 10.5 lbs./168 oz.	4

### 3M™ SHORT STRAND FIBERGLASS REINFORCED FILLER

This polyester filler contains chopped fiberglass and is designed to repair smaller holes, cracks and tears in fiberglass above the waterline. Also repairs holes in metal. Smooth spreading and waterproof. Can be used with 3M™ Fiberglass Mat (PN05837) or 3M™ Fiberglass Cloth (PN05838) to reinforce large repair areas. Use with red 3M™ Crème Hardener (PN05830).



## QUOTATION LINE

[info@mansuetomarine.it](mailto:info@mansuetomarine.it)

+39 0184 573346

Preferred

Better

Good

--	--	--

Part Number	Container Size	Containers/ Case
MM 3M 05815	1 Gallon	4
MM 3M 05816	1 Quart	6



## 3M FIBERGLASS REPAIR PUTTIES

### 3M™ PIRANAH™ ADVANCED FINISHING PUTTY

This two-component, self-leveling putty is designed for use as a skin coat over fillers to fill pinholes, sand scratches, low areas and other imperfections. It grips tightly to fiberglass, sanded paint, steel aluminum and SMC. Flowable and brushable, it cures tack-free in 30 minutes. Extremely easy sanding. Non-staining.



Preferred Better Good

Part Number	Container Size	Containers/Case
MM 3M 05821	24 fl. oz. Tube	6

### 3M™ ACRYL-MARINE PUTTY — WHITE



Designed specifically for the boat repair market, this putty is recommended for filling pinholes, scratches and other surface defects on hulls. Its white color minimizes the possibility of color showing through the final coat as can happen when using colored putties beneath white paint. Other advantages include easy sanding, fast drying, spreads easily, and has low shrinkage.

Preferred Better Good

Part Number	Color	Container Size	Containers/Case
MM 3M 05962	White	21 oz. Tube	12

### 3M™ ACRYL-GREEN SPOT PUTTY

Spreads and sands easily, dries fast, has minimum shrinkage and excellent adhesion. This spot putty is recommended for filling minor imperfections and scratches.



Preferred Better Good

Part Number	Color	Container Size	Containers/Case
MM 3M 05960	Green	21 oz. Tube	12

### 3M™ ACRYL-RED PUTTY

Spreads and sands easily, dries fast, has minimum shrinkage and excellent adhesion. It loads paper less and feathers out to a smooth surface. This putty is recommended for filling pinholes, scratches and grinding imperfections.



Preferred Better Good

Part Number	Color	Container Size	Containers/Case
MM 3M 05966	Red	21 oz. Tube	12

### 3M™ ACRYL-BLUE GLAZING PUTTY

Spreads and sands easily, dries fast, has minimum shrinkage and excellent adhesion. This glazing putty is recommended for filling minor low areas or deeper sand scratches.



Preferred Better Good

Part Number	Color	Container Size	Containers/Case
MM 3M 05964	Blue	21 oz. Tube	12



## 3M HARDENERS, RESIN AND ACCESSORIES


### 3M™ BLUE CRÈME HARDENER

A blue crème hardening agent designed to be used with 3M™ Marine High Strength Repair Filler (PN46012), 3M™ Premium Filler, 3M™ Zebra™ Advanced Lightweight Filler (PN05868) and 3M™ Piranah™ Putty (PN05021). Its creamy consistency mixes easily and quickly.

Part Number	Color	Container Size	Containers /Case
MM 3M 05766	Blue	2.75 oz. Tube	12

### 3M™ FIBERGLASS RESIN

This polyester resin is designed to be used with 3M™ Fiberglass Cloth (PN05838) or 3M™ Fiberglass Mat (PN05833) to patch cracks, tears, punctures and splits in fiberglass and gelcoat, as well as repair holes in metal. The thick formulation resists sags or runs, and it is waterproof when cured. Comes with 3M™ Liquid Hardener (PN05836).



### 3M™ CRÈME HARDENER

A red crème hardening agent designed to be used with 3M™ Lightweight Body Filler (PN05800), 3M™ Long Strand Fiberglass Reinforced Filler (PN05014) and 3M™ Short Strand Fiberglass Reinforced Filler (PN05815 and 05816).



Part Number	Color	Container Size	Containers /Case
MM 3M 05830	Red	2.75 oz. Tube	12

Part Number	Container Size	Containers/ Case
MM 3M 05833	1 Quart	12
MM 3M 05834	1 Quart	12
<b>3M™ Liquid Hardener</b>		
MM 3M 05833	1 Quart	12



### 3M™ FIBERGLASS MAT

For patching cracks, tears, punctures or splits in fiberglass, larger holes in metal, or for large repair areas where more reinforcement is needed. Designed for use with 3M™ Fiberglass Resin (PNs 05833 or 05834) or 3M™ Short Strand Reinforced Fiberglass Filler (PNs 05815 or 05816).




## EASY ORDERS

[giacomo@mansuetomarine.it](mailto:giacomo@mansuetomarine.it)  
[roberta@mansuetomarine.it](mailto:roberta@mansuetomarine.it)

Part Number	Description	Size	Units/Case
MM 3M 05837	Red	8 Sq. Ft.	6
MM 3M 05838	Cloth	8 Sq. Ft.	6



### 3M™ SCOTCHLITE™ GLASS BUBBLES



Hollow, unicellular, microscopic spheres composed of water, insoluble chemically stable soda-lime borosilicate glass.

This filler/resin extender can be used in mixing of marine putties and fairing compounds, as well as in fiberglass reinforced plastic layup. These bubbles offer light-weight, minimal shrinkage and easy sanding. For hand mixing use K1 or K15 series bubbles; for spray applications less than 500 psi use K20 series bubbles; for spray applications less than 750 psi use K25 series bubbles.

### 3M™ SPREADERS



Designed for spreading body and fiberglass fillers, finishing putties and resins. These spreaders are flexible, durable and easy to clean. Each has a sharp edge and cured filler pops off easily.

Part Number	Catalog Number	Pounds/Case
MM 3M 67424	K1	5
MM 3M 67432	K1	40
MM 3M 67416	K15	10
MM 3M 86417	K15	50
MM 3M 86422	K20	10
MM 3M 86423	K20	60
MM 3M 83949	K25	10
MM 3M 83950	K25	80

Part Number	Size	Units/Case
MM 3M 05842	4"	50
MM 3M 05844	Assortment 1 each – 4", 5" and 6"	24

## 3M HARDENERS, RESIN AND ACCESSORIES

### 3M "Preferred" Gelcoat Oxidation Removal/Reconditioning System

Heavy Oxidation		Light to Medium Oxidation	
1	3M™ Marine Fiberglass Restorer and Wax Best used with any 3M™ Superbuff™ Compound Pad	1	3M™ Marine Fiberglass Cleaner and Wax Best used with any 3M™ Superbuff™ Compound Pad
<i>For added protection or when follow-up wax is needed</i>			
2	3M™ Marine Ultra Performance Paste Wax Best used with 3M™ High Performance Cloth	2	3M™ Marine Ultra Performance Paste Wax Best used with 3M™ High Performance Cloth
<i>For regular touch-up and maintenance as needed</i>			
3	3M™ Marine Clean and Shine Wax with soft cloth or 3M™ High Performance Cloth	3	3M™ Marine Clean and Shine Wax with soft cloth or 3M™ High Performance Cloth



## 3M MARINE SURFACE MAINTENANCE PRODUCTS — RESTORING PRODUCTS

### 3M™ MARINE RESTORER AND WAX



Special blend of rubbing compound and a variety of waxes produces a high gloss while removing medium to heavy oxidation, chalking, water spots, rust and exhaust stains in one step. Ideal for fiberglass/gelcoat and marine topside paints. Retards UV light damage.

Part Number	Container Size	Containers/ Case
MM 3M 09005	16 fl. oz. (Liquid)	6
MM 3M 09006	32 fl. oz. (Liquid)	6
MM 3M 09007	1 Gallon (Liquid)	2

### 3M™ SUPER DUTY RUBBING COMPOUND



Fast-cutting, liquid rubbing compound clings to surfaces to remove scratches and heavy oxidation on fiberglass/gelcoat and painted surfaces. Can be used by hand or machine. Follow-up with 3M™ Marine Finesse-It™ II Glaze for a deep “wet look” shine.

Part Number	Container Size	Containers/ Case
MM 3M 09004	16 fl. oz.	6
MM 3M 05954	1 Quart	12
MM 3M 05955	1 Gallon	4

### 3M™ MARINE FINESSE-IT™ II GLAZE



Designed to remove swirl marks, minor scratches and light oxidation while producing a “wet look” finish on fiberglass/gelcoat and painted surfaces. Contains no wax or silicone.

Part Number	Container Size	Containers/ Case
MM 3M 09048	1 Pint	6
MM 3M 05928	1 Quart	12
MM 3M 05929	1 Gallon	4

### 3M™ MARINE COLOR/ GLOSS RESTORER

Resurrect the gloss in gelcoat with this compound/polish that combines an exceptionally fast cutting compound with a finishing material in one. Removes light to heavy oxidation, scratches, stains, blemishes, and fine swirl marks. Contains no wax or silicone. Use by hand or with an electric air powered machine. Follow-up with a Scotchgard™ Marine Wax or 3M™ Marine Wax to maintain the gloss.



Part Number	Container Size	Containers/ Case
MM 3M 09089	500ml Spray	6



### 3M™ MARINE METAL RESTORER AND POLISH



Unique combination of rubbing compounds and oils that polishes and restored original luster. Quickly removes surface rust, oxidation, corrosion and tarnish in one step. Safe to use on stainless steel, brass, bronze, copper, chrome and other marine metals.

Part Number	Container Size	Containers/Case
MM 3M 09019	Net wt. 18 oz. (Paste)	12

### 3M™ MARINE ALUMINUM RESTORER AND POLISH



Designed to restore the original lustre on bare or painted aluminum surfaces. Removes oxidation, chalking, water spots and other weathering effects, in one step. Use on non-anodized aluminum only.

Part Number	Container Size	Containers/Case
MM 3M 09020	Net wt. 18 oz. (Paste)	6

### 3M™ MARINE SUPERBUFF™ PAD



Two-sided, 6" diameter buffing is designed for 1/4" or 3/8" drills for compounding, waxing or polishing your boat. Has a built-in backup pad to assure balance and non-slip, vibration-free operation. Allows full-surface contact with fewer swirl marks.

Part Number	Pads/Case
MM 3M 09038	12



TECHNICAL ASSISTANCE  
ON-LINE

**+39 339 6709546**



## 3M MARINE SURFACE MAINTENANCE PRODUCTS — CLEANING PRODUCTS

### 3M™ MARINE FIBERGLASS CLEANER AND WAX



Special blend of light rubbing compound combined with a variety of waxes. Designed to clean and protect lightly oxidized fiberglass/gelcoat and marine topside paints, in one easy step.

### 3M™ MARINE MULTI-PURPOSE BOAT SOAP



Concentrated formula cleans a variety of surfaces removing grease, oil, grime, algae, fish blood and dirt. Excellent on hull, deck, upholstery, canvas, carpet, windows and engines.

Part Number	Container Size	Containers/ Case
MM 3M 09009	16 fl. oz. (Liquid))	6
MM 3M 09010	32 fl. oz. (Liquid)	6
MM 3M 09011	1 Gallon (Liquid)	2

Part Number	Container Size	Containers/ Case
MM 3M 09034	16 oz. (Liquid)	6
MM 3M 09035	32 oz. (Liquid)	6

### 3M™ MARINE BOAT WASH



With an easy-to-use attachment system, this formula removes algae, grime, oil, fish blood and dirt from fiberglass/gelcoat, metal and painted surface.

### 3M™ MARINE NON-SKID DECK CLEANER



3M-patented formula that deep cleans ground in dirt and stains on non-skid areas. Ideal for fiberglass/gelcoat, metal and painted surfaces.

Part Number	Container Size	Containers/ Case
MM 3M 09060	32 oz.	12

Part Number	Container Size	Containers/ Case
MM 3M 09063	1 Liter	6





### 3M™ MARINE VINYL CLEANER AND RESTORER



Cleans, shines and conditions while deep cleaning dirt and grime from vinyl, rubber and plastic surfaces, in one easy step. Leaves a fresh lemon scent.

Part Number	Container Size	Containers/ Case
MM 3M 09029	15 fl. oz.	6

### 3M™ MARINE BLACK STREAK REMOVER



Formulated to safely remove black streaks and other stains with an easy spray-on formula. Ideal for fiberglass/gelcoat, metal and painted surfaces.

Part Number	Container Size	Containers/ Case
MM 3M 09047	500ml Spray	6

### 3M™ MARINE MILDEW STAIN REMOVER



Unique spray-and-wipe formula quickly removes mildew stains and dirt from vinyl, boat covers, cushions, carpets/fabrics and other marine surfaces. Follow up with 3M™ Marine Mildew Block for lasting protection.

Part Number	Container Size	Containers/ Case
MM 3M 09067	500ml Spray	6

### 3M™ DETAILING SPRAY BOTTLE AND NOZZLE



A 32 oz. fluorinated bottle. Use with 3M™ Detailing General Purpose Spray Trigger Nozzle Head (PN37717) for water-based products. Use with 3M™ Solvent Spray Trigger Nozzle Head (PN37718) for solvent-based products.

Part Number	Container Size	Containers/ Case
MM 3M 37716	32 oz. Spray	24
MM 3M 37717	Spray Trigger Nozzle Head – Water-Based	24
MM 3M 37718	Spray Trigger Nozzle Head – Solvent-Based	24





## 3M MARINE SURFACE MAINTENANCE PRODUCTS — PROTECTING PRODUCTS

### SCOTCHGARD™ MARINE LIQUID WAX



Results that combine exceptionally high gloss and unmatched durability that lasts and lasts. The unique formula provides protection from the sun's damaging ultraviolet rays, and is safe for use on fiberglass/gelcoat, marine topside paints, painted aluminum and marine metal parts. Reactive chemistry actually bonds the wax to your boat's surface. Contains a pleasant tropical scent.

Part Number	Container Size	Containers/Case
MM 3M 09061	500ml Spray	6
MM 3M 09062	1 Liter	6

### 3M™ MARINE LIQUID WAX



Formula designed to provide exceptional gloss and durable protection to fiberglass/gelcoat, marine topside paint and marine trim metals. A special formulation that uses reactive chemistry to bond the boats surface, providing exceptional durability. Retards UV rays.

Part Number	Container Size	Containers/Case
MM 3M 09026	16 fl. oz. (Liquid)	6
MM 3M 09027	32 fl. oz. (Liquid)	6

### 3M™ MARINE VINYL CONDITIONER AND PROTECTOR

Designed to clean, condition and protect marine vinyl and rubber components. Unique gel formula provides durable protection in exterior, as well as interior applications. Gel formula gives you better application control than liquids. A little bit goes a long way.



Part Number	Container Size	Containers/Case
MM 3M 09023	8 oz. (Gel)	6

### 3M™ MARINE ULTRA PERFORMANCE PASTE WAX



Unique, concentrated formula contains carnauba and other waxes. Provides a durable, high gloss finish on fiberglass/gelcoat, metal and painted surfaces. Protects against UV rays.

Part Number	Container Size	Containers/Case
MM 3M 09030	9.5 oz. Tub	6



### 3M™ MARINE CLEAN AND SHINE WAX



Spray on/wipe off formula cleans and shines while providing a “just waxed” look. Ideal for fiberglass topside paint, painted aluminum and other metal surfaces. Quick and easy to apply in one easy step. Use on both wet and dry surfaces.

### 3M™ MARINE MILDEW BLOCK








Patented, non-toxic formula helps keep surface cleaner with an invisible barrier that blocks mildew growth. Safe to use on most marine surfaces and wherever mildew grows. Ideal for vinyl seats, cushions, sails, covers, furniture, plastic, tile, grout, sealed, wood, metal, nylon and fiberglass.

Part Number	Container Size	Containers/ Case
MM 3M 09033	15 oz.	6

Part Number	Container Size	Containers/ Case
MM 3M 09065	500ml Spray	6

## 3M MARINE “PREFERRED” FINISHING

	Compound	Buff Pad	Glaze	Buff Pad
Tooling Gelcoat	3M™ Marine Imperial Compound and Finishing Material 	3M™ Superbuff™ III (double-sided) or 3M™ Perfect-It™ III (single-sided)	3M™ Perfect-It™ 3000 Swirl Mark Remover followed by 3M™ Perfect-It™ 3000 Final Glaze  	3M™ Superbuff™ (double-sided) or 3M™ Hookit™ SBST™ (single-sided)
Production Gelcoat	3M™ Marine Imperial Compound and Finishing Material 		3M™ Finesse-It™ II Finishing Material 	
Paint*	3M™ Perfect-It™ III 3000 Extra-Cut Rubbing Compound 	White Compound Pad	3M™ Perfect-It™ 3000 Swirl Mark Remover followed by 3M™ Perfect-It™ 3000 Final Glaze  	Yellow Polishing Pad

\* Always refer to paint manufacturer's instructions.



### 3M “Preferred” Gelcoat Finishing Systems

Production Gelcoat		Tooling Gelcoat	
1	3M™ Imperial™ Hookit™ Abrasives P320 or P400 with Standard Disc Pad	1	Remove debris or mold release agents with 3M™ Sharpshooter Extra Strength No Rinse Cleaner and Scotch-Brite™ High Performance Cloth
2	3M™ 260L Finishing Film P600, followed by P800, followed by P1000* with Standard Disc Pad and Soft Interface Pad	2	3M™ Imperial™ Hookit™ P220, followed by P500 with Standard Disc Pad
3	<i>Optional Step: 3M™ 260L Finishing Film P1200</i>	3	3M™ Imperial™ 360L P800 followed by P1000 with Standard Disc Pad and Soft Interface Pad
4	3M™ Imperial™ Compound and Finishing Material with any 100% Wool 3M White Compound Pad	4	3M™ Imperial™ Compound and Finishing Material with any 100% Wool 3M White Compound Pad
5	If necessary, remove swirl marks with 3M™ Imperial™ Compound and finishing material with any 3M Yellow Polishing Pad	5	3M™ Perfect-It™ 3000 Swirl Mark Remover with any 3M Yellow Polishing Pad or Black Foam Polishing Pad
6	Clean surface with 3M™ Marine Clean and Shine Wax and Scotch-Brite™ High Performance Cloth	6	<i>Optional Step: 3M™ Perfect-It™ 3000 Final Glaze with 3M Black Foam Polishing Pad</i>

\* End users may feel they can eliminate sanding steps, which is fine.

### 3M “Preferred” Topside Paint Finishing Systems\*

Surface Texture Repair (Orange, Peel, Dust Nibs, etc.)		Sag or Run Repair	
1	Apply 3M Dry Guide Coat as a sanding aid. Remove Guide Coat with 3M™ 260L Hookit™ Finishing Film P1000 with Low Profile Finishing Disc Pad.	1	3M™ Imperial™ WetroDry™ 401Q Ultra Fine 1000 Paper with Rigid Hand Block
2	Reapply Guide Coat and remove with 3M™ 260L Hookit™ Finishing Film P1200 or P1500 with Low Profile Finishing Disc Pad and Soft Interface Pad.	2	3M™ Imperial™ WetroDry™ 401Q Microfine 1200 Paper with Rigid Hand Block
3	3M™ Perfect-It™ 3000 Extra Cut Compound with any 3M White 100% Wool Compounding Pad.	3	<i>Optional Step: 3M™ Imperial™ Wet-or-Dry™ 401Q Microfine 2000 or Microfine 2500 Paper with Rigid Hand Block</i>
4	3M™ Perfect-It™ 3000 Swirl Mark Remover with 3M Yellow Polishing Pad	4	3M™ Perfect-It™ 3000 Extra Cut Compound with any 3M White 100% Wool Compounding Pad.
5	<i>Optional Step: 3M™ Perfect-It™ 3000 Finishing Glaze or 3M™ Detail Polish 208 with 3M™ Perfect-It™ Black Foam Polishing Pad or by hand with Scotch-Brite™ High Performance Cloth.</i>	5	3M™ Perfect-It™ 3000 Swirl Mark Remover with 3M Yellow Polishing Pad.
		6	<i>Optional Step: 3M™ Perfect-It™ 3000 Finishing Glaze or 3M™ Detail Polish with 3M™ Perfect-It™ Black Foam Polishing Pad or by hand with Scotch-Brite™ High Performance Cloth.</i>

\* Always follow paint manufacturer's instructions.

**NON STOP  
ADVANTAGES**

**OUR SERVICE IS GUARANTEED  
ALSO IN AUGUST AND  
IN CHRISTMAS TIME**



# 3M MARINE GELCOAT FINISHING COMPOUNDS AND GLAZES

## 3M™ SUPER DUTY RUBBING COMPOUND



3M's "Good" gelcoat finishing compound. Recommended for heavy aggressive compounding of oxidized gelcoat and marine paint. Clings to paint surface – remains wet on the job with little or no mess. Maintains high rate of cut with constant pressure. Buffs to high gloss with minimum of swirl marks. Can be used by hand or by machine.

Part Number	Container Size	Containers/ Case
MM 3M 09004	1 Pint	6
MM 3M 05954	1 Quart	12
MM 3M 05955	1 Gallon	4

## 3M™ IMPERIAL™ COMPOUND AND FINISHING MATERIAL

3M's Marine "Preferred" gelcoat finishing compound is fast cutting, while leaving an excellent finish with minimal to no swirl marks. This white liquid compound and finishing material is designed to remove a P800 or P1000 dual action sand scratch from gelcoat. Also is an excellent choice for removing heavy oxidation. Use with an air or electric buffer at 1500 – 2500 RPM with a white 3M 100% wool compounding buff pad (PN05703 or 05719). Best results will be achieved by following 3M Marine's Preferred Production Gelcoat Finishing System sanding and buffing steps.

Preferred Better Good

Part Number	Container Size	Containers/ Case
MM 3M 06044	32. fl. oz.	12
MM 3M 06045	1 Gallon	4
MM 3M 06046	5 Gallon	1

## 3M™ MARINE FINESSE-IT™ II GLAZE



3M's "Preferred" glaze is designed for use on gelcoat and marine paints to remove swirl marks after compounding. Also an excellent choice for removing light to medium oxidation. Leaves a glazed finish. Use with an air or electric buffer at 1500 – 2500 RPM with a yellow 3M 100% wool polishing buff pad (PN05705 or 05713). Best results will be achieved by following 3M Marine's Preferred Production or Tooling Gelcoat Finishing Systems sanding and buffing steps.

Preferred Better Good

Part Number	Container Size	Containers/ Case
MM 3M 09048	1 Pint	6
MM 3M 35928	1 Quart	12
MM 3M 35929	1 Gallon	4

## 3M™ DETAIL POLISH 208



3M's "Good" polish is a fine finishing polish that is easy to use and effective with foam polishing pads (PN05725 or 05726). Leaves a high-gloss finish on marine coatings. This polish contains silicone.

Preferred Better Good

Part Number	Container Size	Containers/ Case
MM 3M 38116	1 Gallon	4



### 3M™ MARINE PREMIUM MOLD AND TOOLING COMPOUND

The premium compound has a unique formulation that aggressively removes P800 or finer sanding scratches on tooling gelcoat, reducing sanding and buffing time and saving money. Contains no wax or silicone. Use with an air or electric buffer at 1500 – 2500 RPM with a yellow 3M 100% wool polishing buff pad (PN05705 or 05713). If necessary, follow with 3M™ Finesse-It™ II Finishing Material (PN35928 or 35929) for a clean, high-gloss finish. Best results will be achieved by following 3M Marine's Preferred Tooling Gelcoat Finishing System sanding and buffing steps).



Preferred

Better

Good

Part Number	Container Size	Containers/Case
MM 3M 06027	1 Gallon	4

### 3M™ MARINE HIGH GLOSS GELCOAT COMPOUND

3M's Marine "Better" gelcoat finishing compound. This paste compound is designed to quickly remove P800 dual action sand scratches or 1000 wet sanding scratches from production gelcoat. Contains no wax or silicone and leaves a high gloss finish with minimal swirl/wheel marks. It has a unique formulation that reduces slinging while buffing. Best results are obtained when used with a white 3M 100% wool compounding pad PN05703 or 05719) on a slow-speed polisher at 1500 – 2500 RPM. If necessary, follow with 3M™ Finesse-It™ II Finishing Material (PN35928 or 35929) for a clean, high-gloss finish.



Preferred

Better

Good

Part Number	Container Size	Containers/Case
MM 3M 06025	1 Gallon – 10 lbs.	4
MM 3M 06026	5 Gallon – 50 lbs.	1

## 3M BUFF PAD ACCESSORIES

### 3M™ SUPERBUFF™ ADAPTER

Adapter used to secure double-sided 3M buff pads to buffer, as well as with 3M™ Perfect-It™ Backup Pad (PN05718).



Part Number	Pads/Case
MM 3M 05710	10

### 3M™ HOOKIT™ SBS™ BACK-UP PAD

Back-up pad used with 3M™ Hookit™ SBS™ single-sided polishing pad (PN05713).



Part Number	Pads/Case
MM 3M 05717	4



### 3M™ FINESSE-IT™ ROLOC™ FINISHING PAD

Holds the 3" 3M™ Finesse-It™ Natural Buffing Pad in place. Provides a soft surface for excellent results. Finishing pad mounts in a 3" 3M™ Roloc™ Disc Pad Assembly (PN05540).



Part Number	Size	Pads/Bag	Bags/Case
MM 3M 14736	3"	12	12

### 3M™ PERFECT-IT™ BACKUP PAD

A specially designed backup pad for use with the 3M™ Superbuff™ Adapter (PN05710). This backup pad enables 3M™ Superbuff™ Pad users to use the 3M™ Perfect-It™ Foam Polishing Pad without having to remove the 3M Superbuff adapter from the shaft of the polisher. Fits all standard (5/8" shaft) slow-speed polishers.



Part Number	Pads/Case
MM 3M 05718	1

### SCOTCH-BRITE™ HIGH PERFORMANCE CLOTH

Provides ultra cleaning power because of its knitted, interwoven design of water-and oil-absorbing microfibers that lift and trap liquids, grease, dust and dirt particles. Surfaces are left cleaner than with conventional wipes. When used dry or damp, it's excellent for the removal of grease and silicone from injection molded parts, solvents, dust residue, abrasive residue, splatter from welding, compounds, polish residues, waxes and fingerprints.



Part Number	Color	Size	Cloths/Case
MM 3M 23589	Blue	32cm x 36cm	50
MM 3M 23649	White	32cm x 36cm	50
MM 3M 23650	Green	32cm x 36cm	50
MM 3M 23651	Yellow	32cm x 36cm	50
MM 3M 23652	Red	32cm x 36cm	50

Part Number	Color	Size	Cloths/Case	Packs/Case
MM 3M 25972	Blue	32cm x 36cm	3	10
MM 3M 25942	Blue	32cm x 36cm	5	10
<b>Retail Package</b>				
MM 3M 67408	Blue	32cm x 36cm	1	12

### 3M™ PERFECT-IT™ DETAILING CLOTHS

These cloths are safe, chemical-free, streak-free and non-linting. Microfiber design quickly and easily removes oily and filmy residues. They can be used damp or dry on paint, metal, glass and other marine substrates. The cloths are washable, reusable and durable. Available in two sizes.



Part Number	Size	Cloths/Pack	Packs/Case
MM 3M 06016	12.5" x 14"	6	6
MM 3M 23649	12.5" x 14"	50	1
MM 3M 23650	16" x 16"	6	6





## 3M MARINE PAINT FINISHING COMPOUNDS AND GLAZES\*

### 3M™ PERFECT-IT™ 3000 RUBBING COMPOUND

3M's "Preferred" paint finishing compound.\* Lighter than 3M™ Perfect-It™ 3000 Extra Cut Rubbing Compound, this product is designed to remove P1500 and finer sand scratches with a black foam polishing pad (PN05725 or 05726). Completely removes scratches without filling. Easy to detail. Works on fresh or cured paint\* surfaces, and its non-gritty formula produces a fine swirl mark finish.



Preferred Better Good

Part Number	Container Size	Containers/Case
MM 3M 06062	1 Quart	6
MM 3M 06063	1 Gallon	4

### 3M™ PERFECT-IT™ 3000 SWIRL MARK REMOVER

3M's "Preferred" paint finishing glaze.\* Designed as the first follow-up step to 3M™ Perfect-It™ 3000 Extra Cut Rubbing Compound, this product will quickly and effectively remove swirl marks from paint surfaces. Good handling with easy clean-up. Use with an air or electric buffer at 1500 – 2500 RPM with a yellow 3M 100% polishing buff pad (PN05705 or 05713). Best results will be achieved by following 3M Marine's Preferred Paint Finishing System\* sanding and buffing steps.



### 3M™ PERFECT-IT™ 3000 EXTRA-CUT RUBBING COMPOUND

3M's "Preferred" paint finishing compound.\* Designed to remove P1200 and finer sand scratches when used with a white



3M 100% wool compounding pad (PN05703 or 05719), or P1500 and finer sand scratches with a black foam polishing pad (PN05725 or 05726). Completely removes scratches without filling. Easy to detail. Works on fresh or cured paint\* surfaces, and its non-gritty formula produces a fine swirl mark finish. Use with an air or electric buffer at 1500 – 2500 RPM with a white 3M 100% wool compounding buff pad (PN05703 or 05719). Best results will be achieved by following 3M Marine's Preferred Paint Finishing System\* sanding and buffing steps.

Preferred Better Good

Part Number	Container Size	Containers/Case
MM 3M 06060	1 Quart	6
MM 3M 06061	1 Gallon	4

Preferred Better Good

Part Number	Container Size	Containers/Case
MM 3M 06064	1 Quart	6
MM 3M 06065	1 Gallon	4

\* Always refer to paint manufacturer's instructions.

## 3M™ PERFECT-IT™ 3000 FINAL GLAZE

3M's "Preferred" paint finishing glaze.\* Designed as the follow-up step to 3M™ Perfect-It™ 3000 Swirl Mark Remover. Produces a durable, high-gloss finish on fresh or cured paint surfaces.\* Good handling with easy clean-up. Can be applied by hand, or use with an air or electric buffer at 1500 – 2500 RPM with a yellow 3M 100% polishing buff pad (PN05705 or 05713). Best results will be achieved by following 3M's Marine "Preferred" Paint Finishing System\* sanding and buffing steps.



Preferred Better Good

Part Number	Container Size	Containers/Case
MM 3M 06066	1 Quart	6
MM 3M 06067	1 Gallon	4

## 3M™ TRIZACT™ HOOKIT™ II FOAM DISCS

3M™ Trizact™ abrasives feature a pyramid-shaped structure that contains multiple layers of abrasive mineral. Providing a consistently smooth finish, these discs are used to refine finishing film scratches prior to buffing by producing a P3000 scratch. Use of these discs can reduce compounding time. Follow with 3M™ Perfect-It™ 3000 Spot Finishing Material to remove the scratch. Utilizes the 3M™ Hookit™ II attachment system.



Preferred Better Good

Part Number	Size	Discs/Box	Boxes/Case
MM 3M 02077	3"	15	4
MM 3M 02075	6"	15	4

## 3M™ PERFECT-IT 3000 SPOT FINISHING MATERIAL

Designed to remove the P3000 scratch created by 3M™ Trizact™ Hookit™ II Foam Discs or to quickly and easily remove compound swirl marks. Leaves an excellent, high-gloss finish. Ideal for spot repairs. Good handling with easy clean-up.



Preferred Better Good

Part Number	Container Size	Containers/Case
MM 3M 06070	1 Quart	6

## 3M™ HOOKIT™ II BACK-UP PADS

Part Number	Size	Discs/Case
MM 3M 05270	3"	5
MM 3M 05276	6"	10

online  
OVER 5000 ARTICLES  
[www.mansuetomarine.it](http://www.mansuetomarine.it)





## BUFFING PAD CHARACTERISTICS

Part NumberDescription		Most Aggressive
100% Wool Compound Pads		
MM 3M 05703	3M™ Superbuff™ III (P)	
MM 3M 05700	3M™ Superbuff™	
MM 3M 05719	3M™ Perfect-It™ III (P)	
Blended Wool Compound Pads		
MM 3M 05704	3M™ Superbuff™ III 2 Plus 2 (P)	
MM 3M 05701	3M™ Superbuff™ 2 Plus 2	
MM 3M 05734	3M™ Perfect-It™ III Foam Compounding Pad	
Polishing Pads		
MM 3M 05705	3M™ Superbuff™ III (P)	
MM 3M 05713	3M™ Hookit™ SBS™ (P)	
MM 3M 05725	3M™ Perfect-It™ Black	
MM 3M 05726	Foam Polishing Pads (P)	
MM 3M 81470	3M™ Finesse-It™ Natural Buffing	
MM 3M 81471	Pads	
		Least Aggressive

(P) = Preferred Pad

## 3M COMPOUNDING PADS

### 3M™ SUPERBUFF™ III BUFFING PAD

3M's "Preferred" 100% twisted wool compounding pad. Double-sided. An aggressive, fast-cutting pad with a stiffer center hub for more cutting power. Excellent for gelcoat and marine paints\*. Fits all standard (5/8" shaft) slow-speed polishers. Use with 3M™ Superbuff™ Adapter (PN05710).



### 3M™ SUPERBUFF™ III 2 PLUS 2 BUFFING PAD

3M's "Preferred" 100% blended wool compounding pad. Double-sided. Less aggressive than a 100% wool pad, this pad has a stiffer center hub for more cutting power. Excellent for gelcoat and marine paints\*. Fits all standard (5/8" shaft) slow-speed polishers. Use with 3M™ Superbuff™ Adapter (PN05710).



Preferred

Better

Good



Part Number	Pads/Case
MM 3M 05703	6

\* Always refer to paint manufacturer's instructions.

Preferred

Better

Good



Part Number	Pads/Case
MM 3M 05704	6

\* Always refer to paint manufacturer's instructions.

### 3M™ PERFECT-IT™ III COMPOUND PAD



3M's "Preferred" 100% wool compounding pad. Single-sided featuring the hook-and-loop attachment system for quick changing. 100% untwisted wool construction offers a fast and more aggressive cut. Use with 3M™ Hookit™ SBS™ Back-Up Pad (PN05717).

Preferred

Better

Good

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	-------------------------------------	--------------------------

Part Number	Pads/Case
MM 3M 05719	24

### 3M™ SUPERBUFF™ BUFFING PAD



3M's "Better" 100% wool compounding pad. Double-sided construction allows both sides of this pad to be used. Has its own built-in, lightweight support pad that eliminates the need for heavy back-up pads. Soft, usable edge allows access to hard-to-reach areas, and edge burn is virtually eliminated. Fits all standard (5/8" shaft) slow-speed polishers. Use with 3M™ Superbuff™ Adapter (PN05710).

Preferred

Better

Good

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	-------------------------------------	--------------------------

Part Number	Pads/Case
MM 3M 05700	24

### 3M™ SUPERBUFF™ 2 PLUS 2 BUFFING PAD



3M's "Better" 100% blended wool compounding pad. Double-sided, this pad features more flexibility to get into tighter areas and longer life for greater cost savings. Less aggressive than a 100% wool pad, this pad has a its own built-in support system that eliminates the need for heavy back-up pads. Fits all standard (5/8" shaft) slow-speed polishers. Use with 3M™ Superbuff™ Adapter (PN05710).

Preferred

Better

Good

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	-------------------------------------	--------------------------

Part Number	Pads/Case
MM 3M 05701	24

### 3M™ PERFECT-IT™ III ROUNDED EDGE FOAM COMPOUNDING PAD



This pad utilizes 3M's patented convoluted foam face, which results in an aggressive, fast-cutting compounding pad. This is a very user-friendly, lint free system.

Part Number

Pads/Case

Part Number	Pads/Case
MM 3M 05734	6



## 3M POLISHING PADS

### 3M™ SUPERBUFF™ POLISHING PAD

3M's "Preferred" 100% blended wool compounding pad. Double-sided and soft-edged, this pad is specially designed for use with a polisher and glaze or wax. Made of extremely fine fibers, this pad produces a high gloss on paint and gelcoat surfaces. It is flexible, light-weight and well-balanced. Fits all standard (5/8" shaft) slow-speed polishers. Use with 3M™ Superbuff™ Adapter (PN05717).



Preferred

Better

Good



Part Number	Pads/Case
MM 3M 05705	24

### 3M™ HOOKIT™ SBS™ POLISHING PAD

3M's "Preferred" 100% blended wool polishing pad. Single-sided, this pad utilizes the hook-and-loop attachment system for quick changing. Made of extremely fine fibers, this pad produces a high gloss on paint and gelcoat surfaces when used with glazes or waxes. Use with 3M™ Hookit™ SBS™ Back-Up Pad (PN05717).



Preferred

Better

Good



Part Number	Pads/Case
MM 3M 05713	24

### 3M™ PERFECT-IT™ FOAM POLISHING PAD

3M's "Preferred" foam polishing pad. Utilizes a 3M patented convoluted foam face to produce a wheel-mark free finish on various marine substrates when used with glazes. Use with 3M™ Perfect-It™ Back-Up Pad (PN05718).



Preferred

Better

Good



Part Number	Size	Pads/Bag	Bags/Case
MM 3M 05725	8"	2	12
MM 3M 05726	3"	4	10

### 3M™ FINESSE-IT™ NATURAL BUFFING PAD

These buffing pads are designed to get you into tight areas not accessible with a conventional polisher. Pads are hook-and-loop backed. 3" version attaches to the 3" 3M™ Finesse-It™ Roloc™ Finishing Pad (PN14736) which mounts in a 3" 3M™ Roloc™ Disc Pad Assembly (PN05540). 5-1/4" version is used with a dual action sander attached to a 5" 3M™ Hookit™ Backup Pad (PN05775 or 77855).



Part Number

Size

Discs/Box

Boxes/Case

Part Number	Size	Discs/Box	Boxes/Case
MM 3M 87470	3"	10	50
MM 3M 87471	5-1/4"	10	50

## CLEANING

### 3M™ MARINE FIBERGLASS CLEANER AND WAX

Designed to remove LIGHT to MEDIUM oxidation, clean, polish and protect fiberglass/gelcoat. Unique liquid formulation combines a compound with a special blend of waxes which restore shine and protect in one application.



### 3M™ MARINE MULTI-PURPOSE BOAT SOAP

Concentrated formula designed to clean anything from dirty decks to soiled fabrics to degreasing engines. Mix concentrate with water for desired cleaning strength. Cleans grease, oil, grime, algae, fish, blood, dirt, etc. on hulls, decks, upholstery, canvas, carpet and engines. For example: Mix 2 oz. of 3M™ Marine Multi-Purpose Boat Soap with 1 gallon of water for effective hull and deck cleaning.



Part Number	Container Size	Containers/Case
MM 3M 09009	16 fl. oz. (Liquid)	6
MM 3M 09010	32 fl. oz. (Liquid)	6
MM 3M 09011	1 Gallon (Liquid)	2

Part Number	Container Size	Containers/Case
MM 3M 09034	16 fl. oz. (Liquid)	6
MM 3M 09035	32 fl. oz. (Liquid)	6

### 3M™ MARINE SUPERBUFF™ PAD

A 6" diameter buffing pad with a 1" wool pile on both sides of the pad. The 3M™ Marine Superbuff™ Pad allows the do-it-yourselfer to recondition and maintain their boat, using their drill to obtain a high-gloss finish like the professional who uses high-speed tools. The unique double face construction allows both sides of the pad to be used. It has a lightweight support pad built into each pad, thus eliminating the need for heavy rubber backup pads. Designed to fit any standard electric drill with its 1/4" arbor and hex-head nut.



### 3M™ MARINE BOAT WASH

With an easy-to-use attachment system, this formula removes algae, grime, oil, fish blood and dirt from fiberglass/gelcoat, metal and painted surfaces.

Part Number	Container Size	Containers/Case
MM 3M 09060	32 fl. oz. (Liquid)	6

Part Number	Pads/Case
MM 3M 09038	12

**EASY, FAST, RELIABLE**

[www.mansuetomarine.it](http://www.mansuetomarine.it)



### 3M™ MARINE VINYL CLEANER AND RESTORER

Cleans, shines, conditions and protects vinyl, rubber and plastic surfaces. Deep cleans dirt and grime, enhances appearance. Restores natural sheen, protects surfaces. Fresh lemon scent.



Part Number	Container Size	Containers/ Case
MM 3M 09029	15 fl. oz.	6

### 3M™ MARINE BLACK STREAK REMOVER

Designed to remove black streaks. This product is safe for use on fiberglass, metal and painted surfaces.



Part Number	Container Size	Containers/ Case
MM 3M 09047	500 ml Spray	6

### 3M™ MARINE NON-SKID DECK CLEANER

Designed to clean hard to reach ground-in dirt and stains on non-skid decks. Safe for use on fiberglass, metal and painted surfaces.



Part Number	Container Size	Containers/ Case
MM 3M 09063	1 Liter	6

### 3M™ SHARPSHOOTER EXTRA STRENGTH NO RINSE CLEANER

This special cleaner is designed to remove such tough stains as grease, lipstick, crayon, black heel marks and smoke film from most washable hard surfaces.



Use on walls, floors, partitions, vinyl, chrome, grout, stainless steel, Formica, fiberglass, ceramic or porcelain.

Part Number	Container Size	Containers/ Case
MM 3M 13702	5 Gallon Container	1
MM 3M 16861	Quart with 12 Nozzles	12
MM 3M 19344	Quart with 12 Nozzles	12
MM 3M 19349	55 Gallon Container	1

### 3M™ MARINE MILDEW STAIN REMOVER

Unique spray-and-wipe formula quickly removes mildew stains and dirt from vinyl, boat covers, cushions, carpets/fabrics and other marine surfaces. Follow up with 3M™ Marine Mildew Block for lasting protection.

Part Number	Container Size	Containers/ Case
MM 3M 09067	16.9 oz. (Liquid)	6



### 3M™ DETAILING SPRAY BOTTLE

A 32-oz. fluorinated bottle. Use with 3M™ Detailing General Purpose Spray Trigger Head (PN37717).



Part Number	Description	Containers/Case
MM 3M 37716	32 oz. Spray Bottle	24

### 3M™ GLASS CLEANER

3M™ Glass Cleaner is an easy to use, quick acting, non-streaking aerosol glass cleaner. Excellent for cleaning glass; this product is also effective for use on plastic, chrome or metal.



Part Number	Container Size	Cans/Case
MM 3M 08888	20 oz. Aerosol	12

### 3M™ DETAILING GENERAL PURPOSE SPRAY TRIGGER NOZZLE HEAD

This long-lasting, adjustable sprayer is red and white in color. The sprayer is for use with water-based 3M™ Detailing Products. For solvent-based 3M products, use 3M™ Solvent Spray Trigger Nozzle Head (PN37718).



Part Number	Description	Each/Case
MM 3M 37717	Spray Trigger Nozzle Head	24

### 3M™ SOLVENT SPRAY TRIGGER NOZZLE HEAD

3M™ Solvent Spray Trigger Nozzle Head is a long-lasting, adjustable sprayer that is excellent for 3M solvent-based products. For water-based 3M products, use 3M™ Detailing General Purpose Spray Trigger Nozzle Head (PN37717).



Part Number	Description	Each/Case
MM 3M 37718	Spray Trigger Nozzle Head	24

### SCOTCHGARD™ CLEANER FOR RUGS AND CARPET

A unique carpet cleaner with patented Scotchgard™ protector ingredient so carpets stay cleaner longer. Aerosol will clean 9' x 12' area.



Part Number	Container Size	Cans/Case
MM 3M 76418	18.5 oz. Aerosol	6

### 3M™ CARPET SPOT REMOVER AND UPHOLSTERY CLEANER

A 19 oz. aerosol can designed to clean carpets and upholstery. Releases both oil and water-based soils from carpet and upholstery. Aerosol foam is sprayed directly on spot with minimum of over spray. Requires no rinsing. Wipe or blot area with a clean absorbent cloth.



Part Number	Container Size	Cans/Case
MM 3M 14003	19 oz. Aerosol	12



### SCOTCHGARD™ UPHOLSTERY CLEANER AND PROTECTOR

Designed to clean and protect  
so spills blot up easily.



### SCOTCHGARD™ FABRIC PROTECTOR

An effective, safe, easy do-it-  
yourself-at-home method of  
treating fabrics. Offers convenient  
and lasting protection against  
soil, stains and rain.



Part Number	Container Size	Cans/Case
MM 3M 01748	14 oz. Aerosol	6

Part Number	Container Size	Cans/Case
MM 3M 00213	14 oz. Aerosol	12

### 3M™ TARNISHIELD™ COPPER AND BRASS CLEANER

Protects as it polishes. Patented  
ingredient creates an invisible  
shield that locks tarnish out.  
Contains no harsh abrasives.



### 3M™ TARNISHIELD™ SILVER CLEANER

Cleans tarnish away quickly,  
easily, safely. Polishes as it cleans.  
Restores natural luster.



Part Number	Container Size	Containers/ Case
MM 3M 76547	10 oz.	6

Part Number	Container Size	Containers/ Case
MM 3M 76546	10 oz.	6

### SCOTCHGARD™ WATER REPELLENT FOR OUTDOOR FABRICS

Scotchgard™ Water Repellent for  
Outdoor Fabrics is for heavy-duty  
repellency. Scotchgard™ Water  
Repellent for Outdoor Fabrics  
extra-strength formula gives added  
protection against rain, salt water,  
dirt and oily spills. Consumers have  
indicated a need for heavy-duty  
water and stain protection for their high-quality  
outdoor fabrics. Scotchgard™ Water Repellent  
for Outdoor Fabrics causes no change in look,  
feel or breathability of fabrics. Great for canvas  
and outdoor apparel.



**REQUEST OUR CATALOGUE**  
[info@mansuetomarine.it](mailto:info@mansuetomarine.it)  
**+39 0184 573346**

Part Number	Container Size	Cans/Case
MM 3M 59129	14 oz. Aerosol	6





### 3M™ STAINLESS STEEL CLEANER AND POLISH

This easy-to-apply cleaner and polish is ideally suited for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high-gloss formula, it wipes clean with no streaks or build-up, resists fingerprints and masks surface blemishes. Pleasant lime fragrance. Contains no petroleum distillates.



Part Number	Container Size	Containers/ Case
MM 3M 14002	21.5 oz.	12
MM 3M 19927	1 Quart	6

### 3M™ TWIST 'N FILL™ CLEANING CHEMICAL MANAGEMENT SYSTEM

System features a single, compact dispenser that is designed to accurately mix and dispense a wide range of cleaning chemicals. The system dispenses chemicals with one compact dispenser. Unique bottle and cap design lets you interchange chemicals in seconds. Very compact; fits in any closet. Easy to use – just insert bottle, twist and fill! Integral air gap prevents chemical backflow. Flexible – mounts on wall or, for portability, on cart or cleaning equipment. Accurate dispensing technology ensures consistent, effective chemical performance. Automatic 3 gallon per minute dispense rate for bucket applications; 1 gallon per minute for trigger spray bottle applications. Automatic shut-off attachment also available. Tamper-resistant packaging helps control chemical mixing away from the dispenser.



Part Number	Description	Dispensers/ Case
MM 3M 23592	Cleaning Chemical Dispenser	1
MM 3M 23593	Cleaning Chemical Dispenser	1

### 3M™ GENERAL PURPOSE ADHESIVE CLEANER

A specially blended solvent that provides easy cleanup of most types of adhesives, and quickly removes waxes, greases, oil and tars. When properly used, it will not harm thoroughly dried paint, vinyl or fabrics.



Part Number	Container Size	Containers/ Case
MM 3M 08984*	1 Quart Can	6
MM 3M 08986*	5 Gallon Pail	1
MM 3M 08987	20 oz. Aerosol Can	12

\* This product cannot be purchased for use in Southern California per the California South Coast Air Quality District Rule 1171.

### 1171.3M™ CITRUS BASE ADHESIVE REMOVER

A multi-purpose aerosol or bulk cleaner effective in removing many partially dried and some types of fully cured adhesives without leaving a residue.

Part Number	Container Size	Containers/ Case
MM 3M 49048	24 oz. Aerosol Can	6
MM 3M 49142	1 Gallon	4
MM 3M 49143	5 Gallon	1
MM 3M 49144	55 Gallon Drum	1
MM 3M 39296	6.25 fl. oz. Can	6

### 3M™ DETAILING SQUEEZE BOTTLE

A 12-oz. ketchup-style bottle; includes spout top. Use for dispensing compounds, glazes, polishes and liquid wax.



Part Number	Description	Each/Case
MM 3M 37720	1 Bottle and Top	24



### 3M™ CITRUS BASE CLEANER

A multi-purpose cleaner which will dissolve and flush away dirt, grease, tar, most non-curing type adhesive films, and similar substrates. It is a citrus oil based cleaner that emulsifies when flushed with water and contains no petroleum distillates. Use it to clean and degrease metal parts, motors, tools, and concrete. Contains no ozone depleting chemicals.



Part Number	Container Size	Containers/Case
MM 3M 76394	24 fl. oz.	12

### 3M™ HEAVY DUTY MULTI-SURFACE CLEANER

Versatile cleaner removes most spots, stains and grease from washable surfaces. Use to clean carpets, marble, aluminum, stainless steel, chrome, plastics, windows and mirrors.



Part Number	Description	Each/Case
MM 3M 19202	Heavy Duty Multi-Surface Cleaner Concentrate	6

### 3M™ GENERAL PURPOSE CLEANER

High-performance, all-purpose cleaner. First choice for your everyday cleaning needs. Use to clean non-porous surfaces.



Part Number	Description	Each/Case
MM 3M 19211	General Purpose Cleaner Concentrate	6

### 3M™ HEAVY DUTY GLASS CLEANER

Non-streaking, heavy-duty cleaner for windows, glass, mirrors as well as stainless steel, chrome, aluminum, ceramic and plastic.



Part Number	Description	Each/Case
MM 3M 23360	Heavy Duty Glass Cleaner Concentrate	6

### 3M™ GLASS CLEANER

Non-streaking cleaner for windows, glass and mirrors as well as stainless steel, chrome, aluminum, ceramic and plastic.



Part Number	Description	Each/Case
MM 3M 23357	Glass Cleaner Concentrate	6

### 3M™ 3-IN-1 CLEANER

Versatile, low-foaming cleaner used for cleaning non-porous surfaces.



Part Number	Description	Each/Case
MM 3M 23553	3-in-1 Cleaner Concentrate	6



# SPONGES, SCRUBS AND CLOTHS

## 3M™ DOODLEBUG™ CLEANING SYSTEM

3M™ Doodlebug™ Products offer a versatile cleaning system that can make your cleaning job easier, more effective and less costly. Choose from two styles of holders, four cleaning pads and a brush.



They're designed for most cleaning tasks, from light-duty cleaning of delicate surfaces to heavy-duty cleaning of dirt and finishing buildup. The pads and brush all easily attach to the holders, which feature special hook-and-loop grippers that hold them firmly in place. The Doodlebug cleaning system is especially effective when used with cleaning chemicals such as 3M™ TroubleShooter™ Cleaners, and 3M™ Sharpshooter™ Extra-Strength, No-Rinse Cleaner.

## 3M™ DOODLEBUG™ HOLDERS



Part Number	Description	Application	Holders/ Case
MM 3M 6472	Pad Holder	Attaches to brush/ broom handle	4
MM 3M 6473	Hand Block	Convenient built-in handle designed to be gripped by hand for hand	4

## 3M™ DOODLEBUG™ PADS

Part Number	Description	Application	Pads/ Box	Pads/ Case
<b>4-1/2" x 10"</b>				
MM 3M 8440	White Cleansing Pad	Delicate surfaces and light cleaning jobs	5	4
MM 3M 8242	Blue Cleaning Pad	Medium duty cleaning jobs	5	4
MM 3M 8541	Brown Scrub 'N Strip Pad	Heavy-duty pad for tough cleaning and stripping jobs	5	4
<b>4-5/8" x 10"</b>				
MM 3M 8550	High Productivity Stripping Pad	Most aggressive pad. Heavy-duty maintenance and stripping jobs	10	4

## SCOTCH-BRITE™ SCRUBS

Three grades of Scotch-Brite™ material permanently bonded to a handle to provide ease and quickness for a variety of cleaning tasks.



Part Number	Product Type	Each/Pack	Packs/ Case
MM 3M 01008	Grill-Black (7721)	4	12
MM 3M 01009	Floor-Blue (7722)	4	12
MM 3M 01010	Bath-White (7723)	4	12